



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**PLUGSERIES  
PLED 24Vdc**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
www.weidmueller.com

High power/currents can be safely switched with the PLUGSERIES. The modular system enables conventional relays and LED indicators simply to be plugged in. Retaining and disassembly clips provide a secure mount. Pre-assembled relays with 1 or 2 changeover contacts and input voltages from 24V to 230V round of the product range. Plug-in ZQV 2.5 cross-connectors enable relay multiplexers to be set up quickly thanks to simple side-by-side mounting.

**General ordering data**

Order No.	<a href="#">8536710000</a>
Part designation	PLED 24Vdc
Version	PLUGSERIES, Relays, No. of contacts: Rated control voltage: Plug-in connection
GTIN (EAN)	4032248171972
Qty.	20 pc(s).

**PLUGSERIES  
PLED 24Vdc**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-2083  
 www.weidmueller.com

**Technical data**
**Dimensions**

Length	92 mm
--------	-------

**Temperature**

Ambient temperature (operational)	-40 °C...+50 °C	Storage temperature
-----------------------------------	-----------------	---------------------

**Rated data**

Conductor connection system	Plug-in connection	Flammability class UL 94	V-0
-----------------------------	--------------------	--------------------------	-----

**Insulation coordination (EN 50 178)**

Protection class	IP 20	Protective separation acc. to VDE 0106 part 101	Yes
------------------	-------	---	-----

**Other technical data**

Version	Relay accessory - LED with free-wheel diode
---------	---

**Approvals**

Approvals institutes	CE
----------------------	----

**Classifications**

ETIM 2.0	EC000996	ETIM 3.0	EC000996
eClass 5.1	27-11-06-35	eClass 6.0	27-11-06-35

**Notes**

Note, technical data	Cross-connectors and markers - refer to PLUGSERIES accessories
----------------------	--