



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION - .N/A .
 © COPYRIGHT N/A BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
DF	SO	P	LTR	DESCRIPTION	DATE	DWN	APVD
		K		REV PER ECO-05-005459	08-05	AA	DE

PART NO.	A DIM ¹	CUST PART NO. INK STAMPED	REMARKS
868028-1	9.00 [228.6]	PS78548-4	⁶
868028-2	12.00 [304.8]	PC97504-1	⁶
868028-3	5.50 [139.7]	PC97504-2	⁶
868028-4	9.50 [241.3]	PC97504-3	⁶
868028-5	7.00 [177.8]	PC97504-4	⁶
868028-6	18.00 [457.2]	PC97526-1	⁶
5-868028-3	5.50 [139.7]	-	⁷

- ¹ TOLERANCE OF LEAD LENGTH:
UP TO 24 INCHES [609.6] = ±.12 [±3.0]
24 INCHES [609.6] & UP = ±1%
- 2. MARKED PER MIL-STD-130.
- 3. TO MATE WITH AMP LGH-1
RECEPTACLE WITH .88 BARREL DEPTH.
- 4. PRODUCT WILL MEET CUSTOMER PART NUMBER
REQUIREMENTS.
- 5. OPERATING VOLTAGE: 20 KVDC AT 0 TO 70,000 FEET, -55
-55°C TO 125°C.
- ⁶ J1-22 TERMINAL SOLDERED TO WIRE USING 60/40
TIN-LEAD SOLDER.
- ⁷ J1-22 TERMINAL SOLDERED TO WIRE USING Sn10
SILVER SOLDER.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.C.THOMAS 09-NOV-89	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES [mm]		CHK D.EABY 01-DEC-89		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D.EABY 01-DEC-89	NAME LEAD ASSY SGL END LGH-1	
0 PLC ± - 1 PLC ± - 2 PLC ± .02 [0.5] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC -	SIZE A2	
MATERIAL SEE CALLOUTS		APPLICATION SPEC -	CAGE CODE 00779	DRAWING NO C=868028
FINISH SEE CALLOUTS		WEIGHT -	RESTRICTED TO -	SCALE 2:1
CUSTOMER DRAWING		SHEET 1 OF 1		REV K