



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us




Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com



Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PRODUCT #
88974-101LF



ASSEMBLY AFTER HOT RIVETING.



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:

1. MATERIAL:
LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-V0
COLOR NATURAL.
2. FOR PRESS PEG HOUSING SEE SHEET 2 OF 2.
3. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
4. THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK
TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.





mat'l. code SEE NOTE 1.				tolerances unless otherwise specified		CUSTOMER COPY		ELECTRONICS	
ltr	ecn no	dr	date	linear		projection		title	www.fciconnect.com
A	H10348	DAN	920424					R/A Female 3X3	
B	H30775	HBO	931215					Heat stake HSG	
C	H40355	DOB	940530	angles				product family	ETAL (tm)
D	H60799	DOB	961213	dr	D Andrews	920424	mm	size	dwg no
E	H90476	DOB	990816	eng	D Andrews	931215		213	
F	p005-0485	CLU	051115	chr	P Schalk	920424	scale	1 of 2	
				app	D Andrews	920424	5:1		
sheet	revision	F	F						
Index	sheet	1	2						

PDM: Rev.F

STATUS: Released

Printed: May 19, 2011

All rights strictly reserved. Reproduction or issue to third parties in any form, whatever is not permitted without written authority from the proprietor.
 Property of FCI b.v.
 © FCI b.v. Im



1. MATERIAL:
LIQUID CRYSTAL POLYMER 30% GLASS
FLAME RETARDANT ACC. UL 94-VO
COLOR NATURAL.
2. FOR HEAT STAKE HOUSING SEE SHEET 1 OF 2.
- 3 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
- 4 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK
TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PDM: Rev:F STATUS: **Released**

Printed: May 19, 2016