## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





General ordering data	
Order No.	9004360000
Part designation	H2,5/14D BL BD
Version	Wire-end ferrule, 2.5 mm <sup>2</sup> , 8 mm, Colour code: DIN, Blue
EAN	4008190083397
Qty.	500 pc(s).
Technical data	
Length	14 mm
Width	4.7 mm
Height	4.7 mm
Product data	
Conductor rated cross-section	2.5 mm <sup>2</sup>
AWG	14
Total length (L1)	14 mm
Contact surface length (L2)	8 mm
Contact surface diameter (D1)	2.5 mm
Collar diameter (D2)	4 mm
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.25 mm

Approvals

Approvals institutes



ETIM 2.0	EC00005
ETIM 3.0	EC00005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

Weidmüller 🟵

Classifications eClass 5.1

27-40-02-01

## Similar products

Order No. Part designation 9004370000 H2,5/14T GR BD

Wire-end ferrule, 2.5 mm<sup>2</sup>, 8 mm, Colour code: Miscellaneous, grey

