



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**General ordering data**

| | |
|------------------|--|
| Order No. | 9008350000 |
| Part designation | SD 1.0x5.5x150 |
| Version | Screwdriver, Slotted, Blade width (B): 5.5 mm, Blade length (C): 150 mm, Blade thickness (A): 1.0 mm |
| EAN | 4032248056316 |
| Qty. | 1 pc(s). |

Technical data

| | |
|--------|--------|
| Length | 250 mm |
| Weight | 85 g |

Product data

| | |
|---------------------|---------|
| Blade thickness (A) | 1 mm |
| Blade width (B) | 5.5 mm |
| Blade length (C) | 150 mm |
| Blade type | Slotted |

Approvals

Approvals institutes

Classifications

| | |
|------------|-------------|
| ETIM 2.0 | EC000158 |
| ETIM 3.0 | EC000158 |
| eClass 4.1 | 21-04-04-01 |
| eClass 5.0 | 21-04-04-01 |
| eClass 5.1 | 21-04-04-01 |

Similar products

| Order No. | Part designation | Version |
|-----------|------------------|---------|
|-----------|------------------|---------|

| | | |
|------------|-----------------|--|
| 9008470000 | SDK PH0 | Screwdriver, Philips-recess crosshead, Blade length (C): 60 mm, Size: 0 |
| 9008480000 | SDK PH1 | Screwdriver, Philips-recess crosshead, Blade length (C): 80 mm, Size: 1 |
| 9009030000 | SD 0.4x2.5x75 | Screwdriver, Slotted, Blade width (B): 2.5 mm, Blade length (C): 75 mm, Blade thickness (A): 0.4 mm |
| 9008370000 | SDI 0,4x2,5x75 | Screwdriver, Slotted, Blade width (B): 2.5 mm, Blade length (C): 75 mm, Blade thickness (A): 0.4 mm |
| 9008490000 | SDK PH2 | Screwdriver, Philips-recess crosshead, Blade length (C): 100 mm, Size: 2 |
| 9008320000 | SD 0.5x3.0x80 | Screwdriver, Slotted, Blade width (B): 3.0 mm, Blade length (C): 80 mm, Blade thickness (A): 0.5 mm |
| 9008380000 | SDI 0,5x3,0x100 | Screwdriver, Slotted, Blade width (B): 3.0 mm, Blade length (C): 100 mm, Blade thickness (A): 0.5 mm |
| 9008390000 | SDI 0,6x3,5x100 | Screwdriver, Slotted, Blade width (B): 3.5 mm, Blade length (C): 100 mm, Blade thickness (A): 0.6 mm |
| 9008500000 | SDK PH3 | Screwdriver, Philips-recess crosshead, Blade length (C): 150 mm, Size: 3 |
| 9008330000 | SD 0.6x3.5x100 | Screwdriver, Slotted, Blade width (B): 3.5 mm, Blade length (C): 100 mm, Blade thickness (A): 0.6 mm |
| 9008400000 | SDI 0,8x4,0x100 | Screwdriver, Slotted, Blade width (B): 4.0 mm, Blade length (C): 100 mm, Blade thickness (A): 0.8 mm |
| 9008910000 | SDI 1,0x4,5x125 | Screwdriver, Slotted, Blade width (B): 4.0 mm, Blade length (C): 125 mm, Blade thickness (A): 1.0 mm |
| 9008340000 | SD 0.8x4.0x100 | Screwdriver, Slotted, Blade width (B): 4.0 mm, Blade length (C): 100 mm, Blade thickness (A): 0.8 mm |
| 9009020000 | SD 0.8x4.5x125 | Screwdriver, Slotted, Blade width (B): 4.5 mm, Blade length (C): 125 mm, Blade thickness (A): 0.8 mm |
| 9008410000 | SDI 1,0x5,5x125 | Screwdriver, Slotted, Blade width (B): 5.5 mm, Blade length (C): 125 mm, Blade thickness (A): 1.0 mm |
| 9009010000 | SD 1.2x6.5x150 | Screwdriver, Slotted, Blade width (B): 6.5 mm, Blade length (C): 150 mm, Blade thickness (A): 1.2 mm |
| 9008420000 | SDI 1,2x6,5x150 | Screwdriver, Slotted, Blade width (B): 6.5 mm, Blade length (C): 150 mm, Blade thickness (A): 1.2 mm |
| 9008430000 | SDI 1,6x8,0x175 | Screwdriver, Slotted, Blade width (B): 8.0 mm, Blade length (C): 175 mm, Blade thickness (A): 1.6 mm |