



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



**AM ASI-Spezial**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



- Quick and accurate stripping
- No need to adjust cutting depth
- No damage to inner conductor

**General ordering data**

|            |                                     |
|------------|-------------------------------------|
| Order No.  | <a href="#">9009940000</a>          |
| Type       | AM ASI-Spezial                      |
| Version    | Stripping and cutting tool, ASI-TPE |
| GTIN (EAN) | 4032248363391                       |
| Qty.       | 1 pc(s).                            |

**AM ASI-Spezial**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data****Dimensions and weights**

|            |        |        |       |
|------------|--------|--------|-------|
| Length     | 160 mm | Weight | 120 g |
| Net weight | 156 g  |        |       |

**Max. insulation stripping performance**

|            |         |
|------------|---------|
| Cable type | ASI-TPE |
|------------|---------|

**Classifications**

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 2.0   | EC000163    | ETIM 3.0   | EC000163    |
| UNSPSC     | 23-17-16-04 | eClass 4.1 | 21-04-03-01 |
| eClass 5.1 | 21-04-03-01 | eClass 6.0 | 21-04-38-90 |
| eClass 7.0 | 21-04-37-06 |            |             |

**Product information**

|                                 |  |
|---------------------------------|--|
| Descriptive text technical data | Limitless stripping length   |
| Description of article          | Sheathing stripper for TPE and PUR ASI cables  |
| Product description             | <b>AM ASI</b> <ul style="list-style-type: none"> <li>• For ASI-cables with rubber isolation</li> <li>• Trouble-free cutting of the inner conductor</li> <li>• <b>AM ASI special</b></li> <li>• For ASI-cable types TPE- and PUR- isolation</li> <li>• Easy positioning of the conductor with the integrated wire stop</li> </ul> |

**Approvals**

Approvals

