



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Cutting, stripping and crimping tool STRIPAX PLUS 2.5 ZERT

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



### Cutting, stripping and crimping tools for connected wire-end ferrules strips

- Cutting
- Stripping
- Crimping
- Automatic feeding of wire end ferrules
- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- Efficient: only one tool needed for cable work, and thus significant time saved

#### General ordering data

Order No.	<a href="#">9011980000</a>
Type	STRIPAX PLUS 2.5 ZERT
Version	Cutting, stripping and crimping tool, Crimping tool for wire-end ferrules, 0.5 mm <sup>2</sup> , 2.5 mm <sup>2</sup> , Trapezoidal crimp
GTIN (EAN)	4008190004613
Qty.	1 pc(s).

**Cutting, stripping and crimping tool  
STRIPAX PLUS 2.5 ZERT**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Length	210 mm	Weight	260 g
Net weight	260 g		

**Contact description**

Type of contact	Strips of linked wire-end ferrules	Crimping range, min.	0.5 mm <sup>2</sup>
Crimping range, max.	2.5 mm <sup>2</sup>		

**Tool data - crimping**

Crimping profile 1, min.	0.5 mm <sup>2</sup>	Crimping type/profile	Trapezoidal crimp
Crimping profile 1, max.	0.75 mm <sup>2</sup>	Crimping profile 2, min.	1 mm <sup>2</sup>
Crimping profile 2, max.	1.5 mm <sup>2</sup>	Crimping profile 3, min.	2.5 mm <sup>2</sup>

**Classifications**

eClass 6.0	21-04-38-90
------------	-------------

**Product information**

Descriptive text ordering data	Additional accessories can be found in chapter J
Descriptive text technical data	Only strip-type products from Weidmüller may be processed. The use of wire-end ferrules on reels may lead to destruction.

**Cutting, stripping and crimping tool  
STRIPAX PLUS 2.5 ZERT**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

