## imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





General ordering data	
Order No.	9021220000
Part designation	H0,25/12T GE SV
Version	Wire-end ferrule, 0.25 mm <sup>2</sup> , 8 mm, Colour code: Miscellaneous, yellow
EAN	4008190153786
Qty.	500 pc(s).
Technical data	
Length	12 mm
Width	2.25 mm
Height	2.25 mm
Product data	
Conductor rated cross-section	0.25 mm <sup>2</sup>
AWG	24
Total length (L1)	12 mm
Contact surface length (L2)	8 mm
Contact surface diameter (D1)	0.8 mm
Collar diameter (D2)	1.8 mm
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.25 mm

Approvals

Approvals institutes



ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

Weidmüller 🟵

## Classifications

eClass 5.1

27-40-02-01

Similar products		
9026050000	H0,25/10 HBL SV	Wire-end ferrule, 0.25 mm <sup>2</sup> , 6 mm, Colour code: Weidmüller, light blue

9021210000H0,25/10T GE SVWire-end ferrule, 0.25 mm², 6 mm, Colour code: Miscellaneous,<br/>yellow9025780000H0,25/12 HBL SVWire-end ferrule, 0.25 mm², 8 mm, Colour code: Weidmüller, light<br/>blue

