



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Tool accessorie
BIT E6.3 Z 0.8X4.0X39**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



1/4" hexagon drive to DIN 3126, form E6.3 for direct
machine connection

Slot-head bits DIN 5264, 1/4" drive, E6.3 DIN 3126

General ordering data

Order No.	9025590000
Type	BIT E6.3 Z 0.8X4.0X39
Version	Screwdriver insert, Blade width (B): 4 mm, Blade length: 39 mm, Blade thickness (A): 0.8 mm
GTIN (EAN)	4008190151935
Qty.	10 pc(s).

Tool accessorie
BIT E6.3 Z 0.8X4.0X39

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data**Dimensions and weights**

Length	39 mm	Weight	5.52 g
Net weight	7.5 g		

Classifications

ETIM 2.0	EC000158	ETIM 3.0	EC000158
UNSPSC	27-11-28-14	eClass 4.1	21-04-04-02
eClass 5.1	21-04-04-02	eClass 6.0	21-04-92-21
eClass 7.0	21-04-04-90		

Product information

Description of article	Bit with pilot tip
Product description	Slotted bits with peg DIN 5264, 1/4" drive E6.3 DIN 3126

Approvals

Approvals