



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



PI NOIR CAMERA V2



The infra-red camera module v2 (Pi NoIR) replaced the [original PiNoIR camera](#) in [April 2016](#). The v2 camera has a Sony IMX219 8-megapixel sensor (compared to the 5-megapixel OmniVision OV5647 sensor of the original camera).

The Pi NoIR gives you everything the [regular camera module](#) offers, with one difference: it does not employ an infrared filter. (NoIR = **No Infrared**.) This means that pictures you take by daylight will look decidedly curious, but it gives you the ability to see in the dark with infrared lighting.

We bundle a little square of blue gel with the Pi NoIR, which you can use with the Pi NoIR to [monitor the health of green plants](#). The Pi NoIR is very popular among wildlife hobbyists: with a few infra-red LEDs, you can [monitor what nocturnal animals are doing in your garden](#) without disturbing them.

The camera works with **all models** of Raspberry Pi 1, 2 and 3. It can be accessed through the MMAL and V4L APIs, and there are numerous third-party libraries built for it, including the [Picamera](#) Python library. See the [Getting Started with Picamera](#) resource to learn how to use it.

[« RETURN TO PRODUCTS](#)

ABOUT

[About Us](#)
[Team](#)
[Governance](#)
[Partners](#)

SUPPORT

[Help](#)
[Documentation](#)
[Learning Resources](#)
[Training](#)
[Downloads](#)

CONTACT

[Contact Us](#)

SOCIAL

[Twitter](#)
[Facebook](#)
[Google+](#)
[GitHub](#)
[Vimeo](#)

[BLOG](#)

[FAQs](#)
[DOWNLOADS](#)

[COMMUNITY](#)

[HELP](#)

[YouTube](#)
[FORUMS](#)

[EDUCATION](#)

RASPBERRY PI FOUNDATION
UK REGISTERED CHARITY 1129409

[Cookies](#) [Trademark rules and brand guidelines](#)