

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







For More Information Visit 3M Electrical Terminals Web Pages

http://solutions.3m.com/wps/portal/3M/en_US/EMDCI/Home/Products/TerminalsKitsTools/

Terminal Stud Size Chart

Stud Size				3M Terminal
US/Inches Diameter		OUS/Metric Diameter		Hole Diameter
	Blameter		Blameter	Diameter
#2	0.086" (2,144 mm)	M2	2,0 mm (0.080")	0.095" (2,4 mm)
#4	0.112" (2,844 mm)	M2,5	2,5 mm (0.100")	0.120" (3,0 mm)
#5	0.125" (3,175 mm)	M3	3,0 mm (0.120")	0.148" (3,8 mm)
#6	0.138" (3,505 mm)	M3,5	3,5 mm (0.140")	0.148" (3,8 mm)
#8	0.164" (4,166 mm)	M4	4,0 mm (0.176")	0.174" (4,4 mm)
^{‡10}	0.190" (4,826 mm)	M5	5,0 mm (0.20")	0.200" (5,1 mm)
1/4	0.250" (6,350 mm)	M6	6,0 mm (0.24")	0.265" (6,7 mm)
5/16	0.3125" (7,938 mm)	M8	8,0 mm (0.32")	0.328" (8,3 mm)
3/8	0.375" (9,525 mm)	M10	10,0 mm (0.40")	0.397" (10,1 mm)
7/16	0.4375" (11,113 mm)	M10	10,0 mm (0.48")	0.450" (11,4 mm)
1/2	0.500" (12,700 mm)	M12	12,0 mm (0.48")	0.515" (13,1 mm)
5/8	0.625" (15,875 mm)	M16	16,0 mm (0.64")	0.656" (16,7 mm)
	0.750" (19,050 mm)	M18	18,0 mm (0.72")	0.781" (19,8 mm)

Ref: ISO 263-1973 for inch stud sizes and ISO 262-1973 for metric stud sizes.