

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Search Entire Site

Contact IDT | Investors | Press

About IDT Products Applications

Support

myIDT

Document Search | Package Search | Parametric Search | Cross Reference Search | Green & RoHS | Calculators | Thermal Data | Reliability & Quality | Military

Home > Products > Clock / Timing Devices > PC-Notebook-Server Clocks > Clock Synthesizer by Chipset Vendor > Desktop Chipsets > 9LP505-2 > 9LP505-2HFLF

Add to myIDT [?]

## **9LP505-2HFLF**

Category: **Desktop Chipsets** 9LP505-2 Generic Part: Market Group: PC CLOCK PC MAIN CLOCK Description:

CK505 clock, 56-pin Intel Yellow Cover part

### **Output Features:**

- 2 CPU differential low power push-pull pairs • 7- SRC differential low power push-pull pairs
- 1 CPU/SRC selectable differential low power push-pull pair • 1 - SRC/DOT selectable differential low power push-pull pair
- 5 PCI, 33MHz
- 1 PCI\_F, 33MHz free running
- 1 USB, 48MHz
- 1 REF, 14.318MHz



money

## **Parameters**

Package	SSOP 56 (PVG56)
Voltage	2.5/3.3V
Package	SSOP 56
Speed	NA
Temperature	С
Status	Active
Sample	No
Minimum Order Quantity	104
Factory Order Increment	26

### **Distributor Inventory**

No Pricing information is available from our Distributors at this time.

#### **Documents**

Туре	Title	Size	Revision Date
Misc	PC Clocks Contact Info	61 KB	05/29/2007

## Package

Description	SSOP 300 MIL, 56LD
Class	PLASTIC
Moisture Sensitivity Level (MSL)	1
Category	Green
Moisture Exposure Floor Life	Unlimited @ <30°C/85% RH
Peak Reflow Temprature	260°C
Rebake Conditions	N/A
Length	
Mark	G
Width	
Pitch	
Thickness	
Status	Active