

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Contact IDT | Investors | Press

About IDT

Products

Applications

Support myIDT

Calculators | Cross Reference | Green Initiative | Military | Parametric Search | Search by Part Number, Keyword, Document, Green/Pb-Free, Package

Home > Products > Clock / Timing Devices > PC-Notebook-Server Clocks > Clock Synthesizer by Chipset Vendor > Desktop Chipsets > 9LP505-2 > 9LP505-2 + PLFLET

9LP505-2HFLFT

Category: Desktop Chipsets

 Generic Part:
 9LP505-2

 Market Group:
 PC CLOCK

 Description:
 PC MAIN CLOCK

CK505 clock, 56-pin Intel Yellow Cover part

Output Features:

• 2 - CPU differential low power push-pull pairs

• 7- SRC differential low power push-pull pairs

• 1 - CPU/SRC selectable differential low power push-pull pair

• 1 - SRC/DOT selectable differential low power push-pull pair

• 5 - PCI, 33MHz

• 1 - PCI_F, 33MHz free running

• 1 - USB, 48MHz

• 1 - REF, 14.318MHz

You may also like...



Param eters

Temperature	С
Voltage	2.5V/3.3V
Package	SSOP 56
Speed	NA
Status	Active
Sample	No
Minimum Order Quantity	1000
Factory Order Increment	1000

Distributor Inventory

No Pricing information is available from our Distributors at this time.

Documents

П	Туре	Title	Size	Revision Date
	Misc	PC Clocks Contact Info	61 KB	05/29/2007

Package

Package	SSOP 56 (PVG56)
Description	SSOP 300 MIL
Status	Active
Class	PLASTIC
Category	Green
Pb (Lead) Free	Yes
Mark	F
Package Type	SSOP
Lead Count	56
Length	18.4 mm
Width	7.5 mm
Thickness	2.3 mm
Pitch	0.64 mm
Tube / Tray	TUBE
Quantity per Tube/Tray	26
Quantity per Reel	1000
Moisture Sensitivity Level (MSL)	1
Moisture Exposure Floor Life	Unlimited@<30C/85% RH
Peak Reflow Temperature	260°C
Rebake Conditions	NA
Related Package Documents	view documents