



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!







## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



1	2	3	4	5	6	7																																																								
A	B	C	D	E	F	G																																																								
<p><b>RoHS compliant</b> Unit: mm</p>  <p>File No.: E349947</p>																																																														
																																																														
<p><b>Material</b></p> <ul style="list-style-type: none"> <li>Ⓐ Terminal body(metal housing of double): Brass(CuZn),Ni plated</li> <li>Ⓑ Terminal body(metal housing of single): Brass(CuZn),Ni plated</li> <li>Ⓒ Terminal screw: Steel Zinc plating "-" slot type</li> <li>Ⓓ Wire guard(short): Stainless steel</li> <li>Ⓔ Insulator(lever): Thermoplastic (UL94V-0)</li> <li>Ⓕ Insulator(housing): Thermoplastic (UL94V-0)</li> <li>Ⓖ Wire guard(long): Stainless steel</li> </ul>																																																														
<p><b>Electrical</b></p> <table border="0"> <tr> <td>cULus</td> <td>VDE</td> </tr> <tr> <td>Voltage rating: 400VAC / 450VAC</td> <td></td> </tr> <tr> <td>Current rating: 10A / 24A</td> <td></td> </tr> <tr> <td>Wire range: 0.34-2.5mm<sup>2</sup></td> <td></td> </tr> <tr> <td>Solid wire(AWG): 14-22</td> <td></td> </tr> <tr> <td>Stranded wire(AWG):14-22</td> <td></td> </tr> <tr> <td>Torque(Lb-In): 3.5 / 0.5</td> <td></td> </tr> <tr> <td>Screw: M3</td> <td></td> </tr> <tr> <td>Wire strip length: 7-8mm</td> <td></td> </tr> <tr> <td>Withstanding Voltage: 1.8KV/2.5KV</td> <td></td> </tr> <tr> <td>Operating temperature: -40°C to +115°C</td> <td></td> </tr> </table> <p>Safety Approval:  </p>							cULus	VDE	Voltage rating: 400VAC / 450VAC		Current rating: 10A / 24A		Wire range: 0.34-2.5mm <sup>2</sup>		Solid wire(AWG): 14-22		Stranded wire(AWG):14-22		Torque(Lb-In): 3.5 / 0.5		Screw: M3		Wire strip length: 7-8mm		Withstanding Voltage: 1.8KV/2.5KV		Operating temperature: -40°C to +115°C																																			
cULus	VDE																																																													
Voltage rating: 400VAC / 450VAC																																																														
Current rating: 10A / 24A																																																														
Wire range: 0.34-2.5mm <sup>2</sup>																																																														
Solid wire(AWG): 14-22																																																														
Stranded wire(AWG):14-22																																																														
Torque(Lb-In): 3.5 / 0.5																																																														
Screw: M3																																																														
Wire strip length: 7-8mm																																																														
Withstanding Voltage: 1.8KV/2.5KV																																																														
Operating temperature: -40°C to +115°C																																																														
<table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> <th>Free</th> <th>Id.</th> <th>Modification</th> <th>Date</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X.</td> <td>±0.50</td> <td></td> <td></td> <td></td> <td>19.04.2010</td> <td>Alex</td> </tr> <tr> <td>X.X</td> <td>±0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X.XX</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X.°</td> <td>±1°</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Angle</td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Scale	Free	Free	Id.	Modification	Date	Name	TOLERANCE							X.	±0.50				19.04.2010	Alex	X.X	±0.30						X.XX	±0.10						DIM	TOL						X.°	±1°						Angle	TOL					
Scale	Free	Free	Id.	Modification	Date	Name																																																								
TOLERANCE																																																														
X.	±0.50				19.04.2010	Alex																																																								
X.X	±0.30																																																													
X.XX	±0.10																																																													
DIM	TOL																																																													
X.°	±1°																																																													
Angle	TOL																																																													
<p>Update to new drawing and add UL</p> <p>15.03.2016 Amy</p> <p>Updating</p> <p>19.04.2010 Alex</p>																																																														
<p><b>ASSMANN</b> wsw components</p>																																																														
<table border="1"> <thead> <tr> <th>Date</th> <th>Name</th> <th>Customer-No.</th> </tr> </thead> <tbody> <tr> <td>19.04.2010</td> <td>Alex</td> <td></td> </tr> <tr> <td>15.03.2016</td> <td>Amy</td> <td>ASSMANN WSW-No. A-TB100-TM04</td> </tr> </tbody> </table>							Date	Name	Customer-No.	19.04.2010	Alex		15.03.2016	Amy	ASSMANN WSW-No. A-TB100-TM04																																															
Date	Name	Customer-No.																																																												
19.04.2010	Alex																																																													
15.03.2016	Amy	ASSMANN WSW-No. A-TB100-TM04																																																												
<p>Drawing-No. ASS 2011A CO rev01</p> <p>Replace Sheet</p>																																																														