imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

RG59 Coax Cable with F-Type Connectors, 6-ft.

MODEL NUMBER: A200-006



Description

Tripp Lite's RG59 Coax F-Type cables are constructed of double-shielded, 23 gauge, 750hm Coax cable, and are used in video applications such as Cable, Satellite, and any peripherals with Coax F type threaded connections. 24K Gold plated connectors and fully molded ends ensure long life reliability and crystal clear video .

Features

- Double Shielded (Foil and Braid) RG59B/U Cable
- 24K Gold Plated screw type F connectors
- Fully molded ends ensure long life use
- Use with Cable or Satellite Receivers, VCR, DVD, Coax enabled TV

Specifications

OVERVIEW		
UPC Code	037332146670	
Technology	Coax; RG59/RG6	
INPUT		
Cable Length (ft.)	6	
Cable Length (m)	1.8	
PHYSICAL		
Shipping Dimensions (hwd / in.)	9.000 × 7.000 × 0.500	
Shipping Dimensions (hwd / cm)	22.86 x 17.78 x 1.27	

Highlights

- Double Shielded RG59 Coax
- Gold Plated screw type F

connectors

 Fully molded ends ensure long life use

Package Includes

RG59 Coax cable with F-Type Connectors - 6ft



Shipping Weight (lbs.)	0.2000	
Shipping Weight (kg)	0.09	
Color	Black	
CONNECTIONS		
Side A - Connector 1	F-TYPE (MALE) THREADED COAX	
Side B - Connector 1	F-TYPE (MALE) THREADED COAX	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies