mail

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.


We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





ELECTRICAL SPECIFICATIONS

Resistance @ 25°C	$2,252\Omega$ (See R/T Table Sheet 2)
Temperature tolerance from 0°C to 70°C	±0.2°C
Dissipation Constant	1mW / °C minimum
Thermal Time Constant	3.5 seconds nominal
Beta (0°C / 50°C)	3892°K
Max Power Rating	250 mW

Rev:	Date: 5/10/16	Changes Made:	DRAWN BY: C. Terry		AMETHERM	
				DATE: 5/10/16	REV: 0	Circuit Protection Thermistors
				ORIG. C. Terry	APPR: M. Samii	ACCU-CURVE THERMISTOR
				SHEET 1 of 2		ACC-001

	RESISTANCE VS. TEMPERATURE TABLE							
TEMPERATURE	RESISTA	TEMPERATURE						
°C	MINIMUM	NOMINAL	MAXIMUM	ACCURACY (± °C)				
-40		75,780						
-30		39,860						
-20		21,860						
-10		12,460						
0	7,278.2	7,352.8	7,428.3	0.2				
10	4,438.7	4,481.5	4,524.7	0.2				
20	2,787.5	2,812.8	2,838.3	0.2				
25	2,232.3	2,252.0	2,271.8	0.2				
30	1,799.0	1,814.4	1,829.9	0.2				
40	1,190.0	1,199.6	1,209.3	0.2				
50	805.25	811.40	817.60	0.2				
60	556.28	560.30	564.35	0.2				
70	391.86	394.55	397.26	0.2				
80		282.63						
90		206.13						
100		152.75						
110		114.92						
120		87.671						
130		67.770						
140		52.983						
150		41.881						

DRAWN BY: C. Terry		AMETHERM
DATE: 5/10/16	REV: 0	Circuit Protection Thermistors
ORIG. C. Terry	APPR: M. Samii	ACCU-CURVE THERMISTOR
SHEET 2 of 2		ACC-001