



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





ACL 300B Precision Electrostatic Locator

Measures static charges instantly,
reliably, economically!

The ACL 300B Electrostatic Locator has been the classic field meter of choice among engineers for over 25 years. This hand-held analog meter has proven to be reliable in its detection of electrostatic fields on charged surfaces. It is a key component to any static control program as it determines:

1. Where static is generating
2. How much voltage is being generated
3. The polarity of the charge

This lightweight unit is designed for close and repetitive readings. The unique "Quick Zero" function allows the user to re-zero the unit instantly, providing ground compensation. A standard 9-volt battery powers the meter and can be checked using the battery test feature.

No auxiliary attenuators or heads are required; the ACL 300B is completely self-contained. To minimize error from extraneous static fields, the unit utilizes a recessed nickel-plated sensing electrode which operates on a high/low circuit.

The ACL 300B is suitable to use in static-sensitive areas and other locations where static is a concern such as electronic component production and assembly areas, clean rooms, medical device manufacturing, printing presses, packing, and production lines.

Easy to Use:

Discharge static from body by touching a grounded metal object. Press the red rocker switch into the "LO" or "HI" position. Press the black rocker switch twice towards "ZERO". Without touching the electrode to the object under measurement, point the electrode at the target and move to a distance of either 4" or 0.5" away. Note reading on appropriate meter scale.

Product # ACL 300B includes carrying case, 9-volt battery, and NIST-traceable calibration certificate.

Specifications:

- ✧ Accuracy: $\pm 10\%$
- ✧ Repeatability: $\pm 1\%$
- ✧ Power Supply: 9-volt alkaline battery
- ✧ Weight: 5.5 ounces (with battery)
- ✧ Size: $4 \frac{3}{8}'' \times 2 \frac{3}{8}'' \times 1 \frac{5}{16}''$
- ✧ Range:
 - LO at 1/2": 0 ± 500 volt
 - LO at 4": $0 \pm 3,000$ volt
 - HI at 1/2": $0 \pm 5,000$ volt
 - HI at 4": $0 \pm 30,000$ volt