Ehipsmall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!

Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China

Low Noise, Low Gain Drift, $G = 2000$ Instrumentation Amplifier

FEATURES

Fixed gain of 2000

Access to internal nodes provides flexibility Low noise: 1.5 nV/√Hz input voltage noise High accuracy dc performance Gain drift: 5 ppm/°C Offset drift: 0.3 µV/°C Gain accuracy: 0.05% CMRR: 140 dB min Excellent ac specifications Bandwidth: 3.5 MHz Slew rate: 40 V/µs Power supply range: ±4 V to ±18 V 8-lead SOIC package ESD protection: 5000 V (HBM) Temperature range for specified performance: −40°C to +85°C Operational up to 125°C

APPLICATIONS

Sensor interface Medical instrumentation Patient monitoring

Data Sheet **AD8428**

FUNCTIONAL BLOCK DIAGRAM

Table 1. Instrumentation Amplifiers by Category¹

¹ See www.analog.com for the latest instrumentation amplifiers.

The [AD8428](http://www.analog.com/AD8428) is one of the fastest instrumentation amplifiers available. The circuit architecture is designed for high bandwidth at high gain. The [AD8428](http://www.analog.com/AD8428) uses a current feedback topology for the initial preamplifier gain stage of 200, followed by a difference amplifier stage of 10. This architecture results in a 3.5 MHz bandwidth at a gain of 2000 for an equivalent gain bandwidth product of 7 GHz.

The [AD8428](http://www.analog.com/AD8428) pinout allows access to internal nodes between the first and second stages. This feature can be useful for modifying the frequency response between the two amplification stages, thereby preventing unwanted signals from contaminating the output results.

The performance of the [AD8428](http://www.analog.com/AD8428) is specified over the industrial temperature range of −40°C to +85°C. It is available in an 8-lead plastic SOIC package.

GENERAL DESCRIPTION

The [AD8428](http://www.analog.com/AD8428) is an ultralow noise instrumentation amplifier designed to accurately measure tiny, high speed signals. It delivers industry-leading gain accuracy, noise, and bandwidth.

All gain setting resistors for the [AD8428](http://www.analog.com/AD8428) are internal to the part and are precisely matched. Care is taken in both the chip pinout and layout. This results in excellent gain drift and quick settling to the final gain value after the part is powered on.

The high CMRR of the [AD8428](http://www.analog.com/AD8428) prevents unwanted signals from corrupting the signal of interest. The pinout of the [AD8428](http://www.analog.com/AD8428) is designed to avoid parasitic capacitance mismatches that can degrade CMRR at high frequencies.

Rev. A

Information furnished by Analog Devices is believed to be accurate and reliable. However, no responsibility is assumed by Analog Devices for its use, nor for any infringements of patents or other rights of third parties that may result from its use. Specifications subject to change without notice. No license is granted by implication or otherwise under any patent or patent rights of Analog Devices. Trademarks and registered trademarks are the property of their respective owners.

AD8428* PRODUCT PAGE QUICK LINKS

Last Content Update: 02/23/2017

[COMPARABLE PARTS](http://www.analog.com/parametricsearch/en/11080?doc=AD8428.pdf&p0=1&lsrc=pst)

View a parametric search of comparable parts.

[EVALUATION KITS](http://www.analog.com/ad8428/evalkits?doc=AD8428.pdf&p0=1&lsrc=ek)

• AD62x, AD822x, AD842x Series InAmp Evaluation Board

[DOCUMENTATION](http://www.analog.com/ad8428/documentation?doc=AD8428.pdf&p0=1&lsrc=doc)^L

Application Notes

• AN-1401: Instrumentation Amplifier Common-Mode Range: The Diamond Plot

Data Sheet

• AD8428: Low Noise, Low Gain Drift, $G = 2000$ Instrumentation Amplifier Datasheet

Technical Books

• A Designer's Guide to Instrumentation Amplifiers, 3rd Edition, 2006

[TOOLS AND SIMULATIONS](http://www.analog.com/ad8428/tools?doc=AD8428.pdf&p0=1&lsrc=tools)

• AD8428 SPICE Macro-Model

[DESIGN RESOURCES](http://www.analog.com/ad8428/designsources?doc=AD8428.pdf&p0=1&lsrc=dr)^C

- AD8428 Material Declaration
- PCN-PDN Information
- Quality And Reliability
- Symbols and Footprints

[DISCUSSIONS](http://www.analog.com/ad8428/discussions?doc=AD8428.pdf&p0=1&lsrc=disc)

View all AD8428 EngineerZone Discussions.

[SAMPLE AND BUY](http://www.analog.com/ad8428/sampleandbuy?doc=AD8428.pdf&p0=1&lsrc=sb) **SAMPLE**

Visit the product page to see pricing options.

[TECHNICAL SUPPORT](http://www.analog.com/support/technical-support.html?doc=AD8428.pdf&p0=1&lsrc=techs)^[]

Submit a technical question or find your regional support number.

[DOCUMENT FEEDBACK](https://form.analog.com/Form_Pages/feedback/documentfeedback.aspx?doc=AD8428.pdf&product=AD8428&p0=1&lsrc=dfs)

Submit feedback for this data sheet.

TABLE OF CONTENTS

REVISION HISTORY

10/11—Revision 0: Initial Version

SPECIFICATIONS

V_S = ±15 V, V_{REF} = 0 V, T_A = 25°C, G = 2000, R_L = 10 k Ω , unless otherwise noted.

Table 2.

¹ The differential and common-mode input impedances can be calculated from the pin impedance: Z_{DIFF} = 2(Z_{PIN}); Z_{CM} = Z_{PIN}/2.
² To calculate the actual impedance, see Figure 1.

ABSOLUTE MAXIMUM RATINGS

Table 3.

¹ For voltages beyond these limits, use input protection resistors. See the [Input Protection](#page-16-1) section for more information.

Stresses above those listed under Absolute Maximum Ratings may cause permanent damage to the device. This is a stress rating only; functional operation of the device at these or any other conditions above those indicated in the operational section of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

THERMAL RESISTANCE

 θ_{JA} is specified for the worst-case conditions, that is, a device soldered in a circuit board for surface-mount packages.

Table 4. Thermal Resistance

ESD CAUTION

ESD (electrostatic discharge) sensitive device. Charged devices and circuit boards can discharge without detection. Although this product features patented or proprietary protection circuitry, damage may occur on devices subjected to high energy ESD. Therefore, proper ESD precautions should be taken to avoid performance degradation or loss of functionality.

PIN CONFIGURATION AND FUNCTION DESCRIPTIONS

Table 5. Pin Function Descriptions

TYPICAL PERFORMANCE CHARACTERISTICS

 $V_s = \pm 15$ V, $V_{REF} = 0$ V, $T_A = 25$ °C, $G = 2000$, $R_L = 10$ k Ω , unless otherwise noted.

Figure 3. Typical Distribution of Input Offset Voltage, $V_S = \pm 5$ V

Figure 4. Typical Distribution of Input Offset Voltage, $V_S = \pm 15$ V

Figure 5. Typical Distribution of Input Offset Voltage Drift

Figure 6. Typical Distribution of Input Bias Current

Figure 7. Typical Distribution of Input Offset Current

Data Sheet **AD8428**

5 CHANGE IN INPUT OFFSET VOLTAGE (µV) CHANGE IN INPUT OF SALE IN THE VOLTAGE OF SALE IS IN THE VALUE OF SALE IS IN THE VALUE OF SALE IS IN THE VALUE O **4 3 2 1 0 –1 –2** 09731-017 **0 120 10 20 30 40 50 60 70 80 90 100 110 WARM-UP TIME (Seconds)**

Figure 16. Input Bias Current and Input Offset Current vs. Temperature, Normalized at 25°C

Figure 17. Gain Error vs. Temperature, Normalized at 25°C

Figure 20. Short-Circuit Current vs. Temperature

Figure 22. Slew Rate vs. Temperature, $V_S = \pm 5$ V

Data Sheet **AD8428**

Figure 29. RTI Voltage Noise Spectral Density vs. Frequency

Figure 30. RTI Voltage Noise, 0.1 Hz to 10 Hz

Figure 32. Current Noise, 0.1 Hz to 10 Hz

Figure 34. Small Signal Pulse Response, $R_L = 10 \text{ k}\Omega$, $C_L = 100 \text{ pF}$

Figure 35. Small Signal Pulse Response with Various Capacitive Loads, No Resistive Load

THEORY OF OPERATION

ARCHITECTURE

The [AD8428](http://www.analog.com/AD8428) is based on the classic 3-op-amp topology. This topology has two stages: a gain stage (preamplifier) to provide differential amplification by a factor of 200, followed by a difference amplifier (subtractor) stage to remove the common-mode voltage and provide additional amplification by a factor of 10. [Figure 37](#page-14-1) shows a simplified schematic of the [AD8428](http://www.analog.com/AD8428).

The first stage works as follows. To keep its two inputs matched, Amplifier A1 must keep the collector of Q1 at a constant voltage. It does this by forcing −RG to be a constant diode drop from −IN. Similarly, A2 forces +RG to be a constant diode drop from +IN. Therefore, a replica of the differential input voltage is placed across the gain setting resistor, RG. The current that flows across this resistor must also flow through the R1 and R2 resistors, creating a gained differential signal between the A2 and A1 outputs.

The second stage is a $G = 10$ difference amplifier, composed of Amplifier A3 and Resistors R3 through R8. This stage removes the common-mode signal from the amplified differential signal.

The transfer function of the [AD8428](http://www.analog.com/AD8428) is

 $V_{OUT} = 2000 \times (V_{IN+} - V_{IN-}) + V_{REF}$

FILTER TERMINALS

The −FIL and +FIL terminals allow access between R3 and R4, and between R5 and R6, respectively. Adding a filter between these two terminals modifies the gain that is applied to the signal before it reaches the second amplifier stage (see the [Applications](#page-19-1) [Information](#page-19-1) section).

REFERENCE TERMINAL

The output voltage of the [AD8428](http://www.analog.com/AD8428) is developed with respect to the potential on the reference terminal. This is useful when the output signal must be offset to a precise midsupply level. For example, a voltage source can be tied to the REF pin to levelshift the output so that the [AD8428](http://www.analog.com/AD8428) can drive a single-supply ADC. The REF pin is protected with ESD diodes and should not exceed either $+V_s$ or $-V_s$.

For best performance, the source impedance to the REF terminal should be kept well below 1 Ω . As shown in [Figure 37](#page-14-1), the reference terminal, REF, is at one end of a 120 kΩ resistor. Additional impedance at the REF terminal adds to this 120 k Ω resistor and results in amplification of the signal connected to the positive input. The amplification from the additional RREF can be calculated as follows:

 $2 \times (120 \text{ k}\Omega + R_{REF})/(240 \text{ k}\Omega + R_{REF})$

Only the positive signal path is amplified; the negative path is unaffected. This uneven amplification degrades the CMRR of the amplifier.

INPUT VOLTAGE RANGE

The 3-op-amp architecture of the [AD8428](http://www.analog.com/AD8428) applies gain in the first stage before removing the common-mode voltage in the difference amplifier stage. Internal nodes between the first and second stages (Node 1 and Node 2 in [Figure 37\)](#page-14-1) experience a combination of an amplified differential signal, a common-mode signal, and a diode drop. This combined signal can be limited by the voltage supplies even when the individual input and output signals are not limited. [Figure 9](#page-9-0) shows the allowable input common-mode voltage ranges for various output voltages and supply voltages.

LAYOUT

To ensure optimum performance of the [AD8428](http://www.analog.com/AD8428) at the PCB level, care must be taken in the design of the board layout. The pins of the [AD8428](http://www.analog.com/AD8428) are especially arranged to simplify board layout and to help minimize parasitic imbalance between the inputs.

Common-Mode Rejection Ratio over Frequency

Poor layout can cause some of the common-mode signals to be converted to differential signals before reaching the in-amp. Such conversions occur when one input path has a frequency response that is different from the other.

To maintain high CMRR over frequency, the input source impedance and capacitance of each path should be closely matched. Additional source resistance in the input paths (for example, for input protection) should be placed close to the in-amp inputs to minimize the interaction of the inputs with parasitic capacitance from the PCB traces.

Parasitic capacitance at the filter pins can also affect CMRR over frequency. If the board design has a component at the filter pins, the component should be chosen so that the parasitic capacitance is as small as possible.

Power Supplies and Grounding

Use a stable dc voltage to power the instrumentation amplifier. Noise on the supply pins can adversely affect performance. See the PSRR performance curves in [Figure 11](#page-9-1) for more information.

Place a 0.1 μF capacitor as close as possible to each supply pin. Because the length of the bypass capacitor leads is critical at high frequency, surface-mount capacitors are recommended. Parasitic inductance in the bypass ground trace works against the low impedance created by the bypass capacitor.

As shown in [Figure 40,](#page-15-1) a 10 μF capacitor can be used farther away from the device. For larger value capacitors, which are intended to be effective at lower frequencies, the current return path distance is less critical. In most cases, the 10 μF capacitor can be shared by other precision integrated circuits.

Figure 40. Supply Decoupling, REF, and Output Referred to Local Ground

A ground plane layer is helpful to reduce undesired parasitic inductances and to minimize voltage drops with changes in current. The area of the current path is directly proportional to the magnitude of parasitic inductances and, therefore, the impedance of the path at high frequency. Large changes in currents in an inductive decoupling path or ground return create unwanted effects due to the coupling of such changes into the amplifier inputs.

Because load currents flow from the supplies, the load should be connected at the same physical location as the bypass capacitor grounds.

Reference Pin

The output voltage of the [AD8428](http://www.analog.com/AD8428) is developed with respect to the potential on the reference terminal. Ensure that REF is tied to the appropriate local ground.

INPUT BIAS CURRENT RETURN PATH

The input bias current of the [AD8428](http://www.analog.com/AD8428) must have a return path to ground. When the source, such as a thermocouple, cannot provide a current return path, one should be created, as shown in [Figure 41](#page-16-2).

INPUT PROTECTION

Do not allow the inputs of the [AD8428](http://www.analog.com/AD8428) to exceed the ratings stated in the [Absolute Maximum Ratings](#page-6-1) section. If these ratings cannot be adhered to, add protection circuitry in front of the [AD8428](http://www.analog.com/AD8428) to limit the maximum current into the inputs (see the I_{[MAX](#page-16-3)} section).

IMAX

The maximum current into the $AD8428$ inputs, I_{MAX}, depends on time and temperature. At room temperature, the device can withstand a current of 10 mA for at least one day. This time is cumulative over the life of the device.

Input Voltages Beyond the Rails

If voltages beyond the rails are expected, use an external resistor in series with each input to limit current during overload conditions. The limiting resistor at each input can be computed using the following equation:

$$
R_{\text{PROTECT}} \geq \frac{\left|V_{\text{IN}} - V_{\text{SUPPLY}}\right|}{I_{\text{MAX}}}
$$

Noise sensitive applications may require a lower protection resistance. Low leakage diode clamps, such as the BAV199, can be used at the inputs to shunt current away from the [AD8428](http://www.analog.com/AD8428) inputs and, therefore, allow smaller protection resistor values. To ensure that current flows primarily through the external protection diodes, place a small value resistor, such as a 33 Ω resistor, between the diodes and the [AD8428](http://www.analog.com/AD8428).

Large Differential Input Voltage at High Gain

If large differential voltages at high gain are expected, use an external resistor in series with each input to limit current during overload conditions. The limiting resistor at each input can be computed using the following equation:

$$
R_{\text{PROTECT}} \ge \frac{1}{2} \times \left(\frac{\left| V_{\text{DIFF}} \right| - 1 \text{ V}}{I_{\text{MAX}}} - R_G \right)
$$

Noise sensitive applications may require a lower protection resistance. Low leakage diode clamps, such as the BAV199, can be used across the [AD8428](http://www.analog.com/AD8428) inputs to shunt current away from the inputs and, therefore, allow smaller protection resistor values.

Figure 43. Protection for Large Differential Voltages

RADIO FREQUENCY INTERFERENCE (RFI)

Because of its high gain and low noise properties, the [AD8428](http://www.analog.com/AD8428) is a highly sensitive amplifier. Therefore, RF rectification can be a problem if the [AD8428](http://www.analog.com/AD8428) is used in applications that have strong RF signal sources present. The problem is intensified if long leads or PCB traces are required to connect the amplifier to the signal source. The disturbance can appear as a dc offset voltage or as a train of pulses.

High frequency signals can be filtered with a low-pass filter network at the input of the instrumentation amplifier, as shown in [Figure 44](#page-17-1).

Figure 44. RFI Suppression

The filter limits both the differential and common-mode bandwidth, as shown in the following equations:

$$
FilterFrequency_{DIFF} = \frac{1}{2\pi R(2C_D + C_C)}
$$

FilterFrequency_{CM} = $\frac{1}{2\pi RC_C}$

where $C_D \geq 10$ Cc.

 C_D affects the differential signal, and C_C affects the commonmode signal. Choose values of R and C_C that minimize RFI. A mismatch between $R \times C_C$ at the positive input and $R \times C_C$ at the negative input degrades the CMRR of the [AD8428.](http://www.analog.com/AD8428) By using a value of C_D one order of magnitude larger than C_C , the effect of the mismatch is reduced, and performance is improved.

Resistors add noise; therefore, the choice of resistor and capacitor values depends on the desired trade-off between noise, input impedance at high frequencies, and RFI immunity. To achieve low noise and sufficient RFI filtering, the use of inductive ferrite beads is recommended (see [Figure 44\)](#page-17-1). Using inductive ferrite beads allows the value of the resistors to be reduced, which helps to minimize the noise at the input.

For best results, place the RFI filter network as close to the amplifier as possible. Layout is critical to ensure that RF signals are not picked up on the traces after the filter. If RF interference is too strong to be filtered, shielding is recommended.

Note that the resistors used for the RFI filter can be the same as those used for input protection (see the [Input Protection](#page-16-1) section).

CALCULATING THE NOISE OF THE INPUT STAGE

The total noise of the amplifier front end depends on much more than the specifications in this data sheet. The three main contributors to noise are as follows:

- Source resistance
- Voltage noise of the instrumentation amplifier
- Current noise of the instrumentation amplifier

In the following calculations, noise is referred to the input (RTI); that is, all sources of noise are calculated as if the source appeared at the amplifier input. To calculate the noise referred to the amplifier output (RTO), multiply the RTI noise by the gain of the instrumentation amplifier.

Source Resistance Noise

Any sensor connected to the [AD8428](http://www.analog.com/AD8428) has some output resistance. There may also be resistance placed in series with the inputs for protection from either overvoltage or radio frequency interference. This combined resistance is labeled R1 and R2 in [Figure 45.](#page-17-2) Any resistor, no matter how well made, has an intrinsic level of noise. This noise is proportional to the square root of the resistor value. At room temperature, the value is approximately equal to $4 \text{ nV}/\sqrt{\text{Hz}} \times \sqrt{\text{resistor value in k}\Omega}$.

Figure 45. Source Resistance from Sensor and Protection Resistors

For example, assuming that the combined sensor and protection resistance is 4 kΩ on the positive input and 1 kΩ on the negative input, the total noise from the input resistance is

$$
\sqrt{(4 \times \sqrt{4})^2 + (4 \times \sqrt{1})^2} = \sqrt{64 + 16} = 8.9 \text{ nV}/\sqrt{\text{Hz}}
$$

Voltage Noise of the Instrumentation Amplifier The State Calculation Calculation Total Noise Density Calculation

Unlike other instrumentation amplifiers in which an external resistor is used to set the gain, the voltage noise specification of the [AD8428](http://www.analog.com/AD8428) already includes the input noise, output noise, and the RG resistor noise.

Current Noise of the Instrumentation Amplifier

The contribution of current noise to the input stage in $\frac{N}{\text{Hz}}$ is calculated by multiplying the source resistance in $k\Omega$ by the specified current noise of the instrumentation amplifier in pA/√Hz.

For example, if the R1 source resistance in [Figure 45](#page-17-2) is 4 k Ω and the R2 source resistance is 1 k Ω , the total effect from the current noise is calculated as follows:

$$
\sqrt{(4 \times 1.5)^2 + (1 \times 1.5)^2} = \sqrt{36 + 2.25} = 6.2 \text{ nV}/\sqrt{\text{Hz}}
$$

To determine the total noise of the in-amp, referred to input, combine the source resistance noise, voltage noise, and current noise contribution by the sum of squares method.

For example, if the R1 source resistance in [Figure 45](#page-17-2) is $4 \text{ k}\Omega$ and the R2 source resistance is 1 k Ω , the total noise, referred to input, is

$$
\sqrt{8.9^2 + 1.5^2 + 6.2^2} = 11.0 \text{ nV}/\sqrt{\text{Hz}}
$$

APPLICATIONS INFORMATION

The classic 3-op-amp topology used for instrumentation amplifiers typically places all the gain in the first stage and subtracts the common-mode signals only in the second stage. When operated at high gain, any amplifier is sensitive to large interfering signals that can saturate it, thus making it impossible to recover the signal of interest.

The [AD8428](http://www.analog.com/AD8428) splits the total gain of 2000 into two stages: 200 in the preamplification stage and 10 in the subtractor stage. Reducing the gain of the first stage helps to increase the common-mode range vs. differential signal range by avoiding saturation of the preamps.

In addition, filtering between stages can help to attenuate signals before they reach the second amplification stage. This filtering helps to prevent saturation of the second stage amplifier as long as the signals are located in frequencies other than the signal of interest.

EFFECT OF PASSIVE NETWORK ACROSS THE FILTER TERMINALS

The [AD8428](http://www.analog.com/AD8428) filter terminals allow access between the two amplification stages. Adding a passive network between the two terminals can shape the transfer function over the frequency of the amplifier. The general expression for the transfer function is represented by Equation 1.

$$
G(s) = \frac{2000 \times Z(s)}{Z(s) + 6000}
$$
 (1)

where $Z(s)$ is the frequency dependent impedance of the network across the filter terminals.

CIRCUITS USING THE FILTER TERMINALS Setting the Amplifier to Different Gains

In its simplest form, the transfer function equation (Equation 1) implies that the [AD8428](http://www.analog.com/AD8428) can be configured for gains lower than 2000. This can be achieved by attaching a resistor across the filter pins. Unlike the gain configuration of traditional instrumentation amplifiers, this resistor attenuates the signal that was previously amplified by the initial gain of 200.

Because this resistor appears inside the feedback of the subtractor stage, it modifies the gain of the subtractor as well. The total gain formula is a simplified version of the transfer function equation (Equation 1).

$$
G = \frac{2000 \times R_G}{R_G + 6000}
$$
 (2)

The RG unit is in ohms. The resistor value required to obtain the desired gain can be calculated using the following formula:

$$
R_G = \frac{6000 \times G}{2000 - G}
$$

The $AD8428$ defaults to $G = 2000$ when no gain resistor is used. When setting the amplifier to a different gain, the absolute gain accuracy is only 10%. In addition, the temperature mismatch of the external gain resistor increases the gain drift of the instrumentation amplifier. Gain error and gain drift are at a guaranteed minimum when a gain resistor is not used. For applications that require accuracy at different gains, low noise, and wide bandwidth, the [AD8429](http://www.analog.com/AD8429) should be considered.

Low-Pass Filter

To help limit undesired differential signals, a first-order, low-pass filter can be implemented by adding a capacitor across the filter terminals of the [AD8428,](http://www.analog.com/AD8428) as shown in [Figure 47](#page-19-2).

Figure 47. Differential Low-Pass Filter

This single-pole filter limits the signal bandwidth, as shown in the following equation:

$$
f_C = \frac{1}{2\pi (6\,\mathrm{k}\Omega)C_F}
$$

The 6 k Ω factor comes from the internal resistor values. The tolerance of these resistors is 10%; therefore, using capacitors with a tolerance better than 5% does not provide a significant improvement on the absolute tolerance of the cutoff frequency.

Limiting the bandwidth of the amplifier also helps to minimize the amount of out-of-band noise present at the output.

Note that filtering common-mode signals by adding a capacitor on each filter terminal to ground degrades the performance of the amplifier. This practice is generally discouraged because it degrades CMRR performance. In addition, filtering commonmode signals has little effect on preventing the saturation of the internal nodes. On the contrary, the load added to the preamplifiers causes them to saturate with even smaller common-mode signals.

Notch Filter

In cases where the frequency of the interfering signal is well known, a notch filter can be implemented to help minimize the impact of the known signal on the measurement. The filter can be realized by adding a series LC network between the filter pins, as shown in [Figure 48](#page-20-0).

Figure 48. Notch Filter Example

The inductor and capacitor form a resonant circuit that rejects frequencies near the notch. The center frequency can be calculated using the following equation:

$$
f_N = \frac{1}{2\pi\sqrt{L_F C_F}}
$$

The Q factor of the filter is given by the following equation:

$$
Q=\frac{1}{6000}\sqrt{\frac{L_{F}}{C_{F}}}
$$

The accuracy of the center frequency, f_N , depends only on the tolerance of the capacitor and inductor values, not on the value of the internal resistors. However, the Q of the circuit depends on both the tolerance of the external components and the absolute tolerance of the internal resistors, which is typically 10%.

The Q factor is a filter parameter that indicates how narrow the notch filter is. It is defined as follows:

$$
Q = \frac{f_N}{f_B - f_A}
$$

where f_A and f_B are the frequencies at which there is −3 dB attenuation on each side of the notch.

This equation indicates that the higher the Q, the narrower the notch—that is, high values of Q increase the selectivity of the notch. In other words, although high values of Q reduce the effect of the notch on the amplitude and phase in neighboring frequencies, the ability to reject the undesired frequency may also be reduced due to mismatch between it and the actual center frequency. This mismatch can be caused by frequency variations on the affecting source and the tolerance of the filter inductor and capacitor values.

In contrast, low values of Q work better to ensure that the interfering frequency is attenuated, but these low values also affect the signal of interest if it is located close to the center frequency of the notch.

For example, if the goal is to attenuate the interfering signal by 20 dB, a large Q value reduces the frequency range where the notch is effective, as shown in [Figure 49](#page-20-1).

In contrast, a small Q value increases the range for the same attenuation, which relaxes the tolerance requirements between the inductor and capacitor and the frequency uncertainty of the undesired signal. However, the lower Q value has a significant effect on signal bandwidth one decade before the notch frequency.

The maximum attenuation that can be achieved with a notch filter is at its center frequency, f_N . This maximum attenuation (or depth of the notch) depends on the equivalent series resistance of the inductor and capacitor at the center frequency. Choosing components with high quality factors improves the rejection at the filter's center frequency. For information about calculating the maximum allowed series resistance at the frequency of interest to obtain the desired attenuation, see the [Setting the](#page-19-3) [Amplifier to Different Gains](#page-19-3) section.

Extracting the Common-Mode Voltage of the Input

The common-mode signal present at the input terminals can be extracted by inserting two resistors between the filter terminals and tapping from the center, as shown in [Figure 50.](#page-20-2) The commonmode voltage, V_{CM} , is the average of the voltages present at the two inputs minus a 0.6 V drop.

Figure 50. Extracting the Common-Mode Voltage

Use resistor values that are high enough to minimize the impact on gain accuracy. For example, resistor values of 2 MΩ introduce an additional gain error of less than 0.2%. For information about the impact of these resistors on the gain of the amplifier, see the [Effect of Passive Network Across the Filter Terminals](#page-19-4) section.

OUTLINE DIMENSIONS

Dimensions shown in millimeters and (inches)

ORDERING GUIDE

1 Z = RoHS Compliant Part.

©2011–2012 Analog Devices, Inc. All rights reserved. Trademarks and registered trademarks are the property of their respective owners. D09731-0-4/12(A)

www.analog.com

Rev. A | Page 20 of 20