

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









ATP Embedded Modules mSATA & mSATA mini

Targeted Product Portfolio, Engineered Specifically for Your Mission Critical Applications





The mSATA & mSATA mini Industrial Grade Embedded Module is designed for small form factor embedded and networking applications with space constraints and high performance requirements. To provide further data integrity, ATP PowerProtector technology allows the ATP mSATA & mSATA mini to intelligently manage the read and write process under a sudden power failure and thus surpassing the technical and space limitations offered by existing power failure protection solutions. PowerProtector's leaner requirements for board footprint allows for support in smaller form factors such as mSATA & mSATA mini.

Key Features

- Adheres to the JEDEC mechanical specification MO-300A/B
- Built-in hardware-based data protection technology during power failure -PowerProtector
- Ultra high performance solution for small embedded form factors and industrial applications
- Supports S.M.A.R.T. ATA feature set
- RoHS compliant and CE/FCC certification

Applications

- Telecommunications
- Industrial & Embedded
- Gaming & Digital Signage
- Medical & Field Equipment
- Server & Storage
- Ruggedized Tablets



Specifications

		mSATA		mSATA mini	
Product Name	(MO-300A)			(MO-300B)	
Flash Type	SLC	aMLC	MLC*	SLC	
Density	8GB to 128GB	8GB to 64GB	8GB to 256GB	4GB to 32GB	
Performance	Sequential Read up to 530 MB/s	Sequential Read up to 250 MB/s	Sequential Read up to 520 MB/s	Sequential Read up to 80 MB/s	
	Sequential Write up to 430 MB/s	Sequential Write up to 190 MB/s	Sequential Write up to 300 MB/s	Sequential Write up to 65 MB/s	
	Random Read IOPS up to 9,200	Random Read IOPS up to 3,800	Random Read IOPS up to 7,200	Random Read IOPS up to 3,600	
Interface	SATA III 6 Gb/s	SATA II 3 Gb/s	SATA III 6 Gb/s	SATA II 3 Gb/s	
Operation Temp.	-45°C to +85°C	0°C to	-45°C to +85°C		
Reliability	Advanced Wear Leveling , AutoRefresh, PowerProtector				
	TBW* (max.) : 2,560 TB	TBW** (max.) : 512 TB	TBW* (max.): 153.6 TB	TBW** (max.) : 640 TB	
	MTBF @ 25°C: >5,000,000 hours	MTBF @ 25°C: >3,000,000 hours	MTBF @ 25°C: >2,000,000 hours	MTBF @ 25°C: >5,000,000 hours	
Dimensions : LxWxH (mm)		26.8 x 29.85 x 3.7			

^{*} Available on a project basis.

Ordering Information

Density	mSATA			mSATA mini		
	SLC	aMLC	MLC*	SLC		
4GB	-	-	-	AF4GSSHJ-RAAXP		
8GB	AF8GSSHI-VACXP	AF8GSAHI-RAAXP	AF8GSMHI-VACXP	AF8GSSHJ-RAAXP		
16GB	AF16GSSHI-VACXP	AF16GSAHI-RAAXP	AF16GSMHI-VACXP	AF16GSSHJ-RAAXP		
32GB	AF32GSSHI-VACXP	AF32GSAHI-RAAXP	AF32GSMHI-VACXP	AF32GSSHJ-RAAXP		
64GB	AF64GSSHI-VACXP	AF64GSAHI-RAAXP	AF64GSMHI-VACXP	-		
128GB	AF128GSSHI-VAAXP	-	AF128GSMHI-VACXP	-		
256GB	-	-	AF256GSMHI-VAAXP	-		

^{*} Available on a project basis.

ATP TAIWAN(HQ)

TEL: +886-2-2659-6368 FAX: +886-2-2659-4982 sales-apac@atpinc.com ATP USA

TEL: +1-408-732-5000 FAX: +1-408-732-5055 sales@atpinc.com ATP EUROPE

TEL: +49-89-374-9999-0 FAX: +49-89-374-9999-29 sales-europe@atpinc.com ATP JAPAN

TEL: +81-3-6206-8097 FAX: +81-3-6206-8098 sales-japan@atpinc.com ATP CHINA

TEL: +86-21-5080-2220 FAX: +86-21-5080-2219 sales@cn.atpinc.com



^{**} All TBW data listed are under highest random write value in each product line. The TBW data are subject to change by density, configuration and customers' applications.