



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



1

2

3

4

5

6

7


Signature	Revision History	Date	Rev.
Sean	For Bulk Production	Jun.17,2015	01

RoHS Compliant

USB3.0 A MALE
INS:BLUE

5000 ± 50MM

USB3.0 Micro B Male
INS:BLUE



NOTE:


- 1.UL2725 [28AWG(7/0.127TC)*1P+D(7/0.127TC)+Al-Mylar]*2C+28AWG(7/0.127TC)*1P+AL +24AWG(7/0.203 TC)*2C+Al-Mylar+DW(7/0.127TC)+Braid(Al85% Coverage)
OD=5.5±0.2mm Jacket Color: Black
CABLE MUST PRINT: E***** AWM STYLE 2725 80C 30V VW-1 SUPER HIGH SPEED USB Revision 3.0
- 2.CONNECTOR P1:USB3.0 A MALE SOLDER,BLUE INSULATION, NI Plated Shell,Pin Gold Plated 5u" .
- 3.CONNECTOR P2:MICRO USB3.0 BM SOLDER,BLUE INSULATION, NI Plated Shell,Pin Gold Plated 5u" .
- 4.Internal Molding transparent PE material
- 5.Outside Molding 45P PVC Color:Black

- (1)100% OPEN SHORT & MIS WIRE TEST.
- (2)CONTACT RESISTANCE 2 ohm Max .
- (3)INSULATION RESISTANCE 10M ohm Min .
- (4)HI-POT TEST:DC 300V/10ms

Pin Assignment

Conn.1		Conn.2
1	RED	1
2	WHITE	2
3	GREEN	3
		4 NC
4	BLACK	5
5	ORANGE	6
6	Purple	7
7	Drain	8
8	Drain	9
9	BLUE	10
	YELLOW	
Shell	Shield	Shell

Cross Section:



	Date	Name	Part No.
Drawn by	Jun.17,2015	Sean	AK-300116-050-S
Checked by	Jun.17,2015	Joe	EAN:4016032283317
Approved by	Jun.17,2015	Andy	
ASSMANN Electronic GmbH			Title
			USB3.0 A Male TO MCIRO BM 3M
Scale		N/A	Sheet 1/2
Unit		MM	

80218

1

2

3

4

5

6

7



Package Details

RoHS Compliant

Single Cable


Single Cable

P/N	Cable Length	Rolling Size (Single Cable)	Polybag Type (Single Cable)	Bag Size (Single Cable)	Article Weight (Single Cable)
AK-300116-050-S	5.0m	mm max.	Ordinary Polybag (Heat Sealed)	245*185*0.11mm	kg






Inner Packing Unit

P/N	Cable Length	Quantity (Inner Packing Unit)	Type (Inner Packing Unit)	Size (Inner Packing Unit)	Weight (Inner Packing Unit)
AK-300116-050-S	5.0m	10 pcs	Polybag (Heat Sealed)	400*350*0.06MM	kg



CARTON DETAILS

P/N	Cable Length	Quantity (Carton)	Measurement (Carton)	N.W. (Carton)	G.W. (Carton)
AK-300116-050-S	5.0m	100pcs	cm	kg	kg



* "ROTTERDAM" is for Sea Freight shipment
 * "COLOGNE" is for Air Freight shipment
 * "LUDENSCHIED" is for Fedex or UPS shipment

	Date	Name	Part No.
Drawn by	Jun.17,2015	Sean	AK-300116-050-S
Checked by	Jun.17,2015	Joe	EAN:4016032283317
Approved by	Jun.17,2015	Andy	
ASSMANN Electronic GmbH			Title
			USB3.0 A Male TO MCIRO BM 3M
Scale	N/A	Sheet	2/2
Unit	MM		