

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Common Mode Line Filter

ALFT-04





> FEATURES:

- Presents High Common Mode Impedance
- Enables significant noise suppression at high frequency

> APPLICATIONS:

- Filtering common mode noise in USB, IEEE1394, LVDS, Digital Camera, Scanner.
- Digital audio and video equipments such as PDA, DSC, DVC, DVD Player.

ELECTRICAL SPECIFICATIONS:

Operating Temperature

Storage Temperature

-25°C to +85°C

-25°C to +85°C

| Part Number | L (mH) ± 20% | DCR Max (mΩ) | I _{rate} Max (A) | Max. Lead Diameter (±0.005") |
|-------------|--------------|--------------|---------------------------|------------------------------------|
| ALFT-04-1 | 0.24 | 5.0 | 6.0 | 0.0511 |
| ALFT-04-2 | 0.35 | 6.0 | 6.0 | 0.0511 |
| ALFT-04-3 | 0.50 | 7.0 | 6.0 | 0.0511 |
| ALFT-04-4 | 1.00 | 10.0 | 4.0 | 0.0405 |
| ALFT-04-5 | 2.00 | 13.0 | 4.0 | 0.0405 |
| ALFT-04-6 | 3.00 | 16.0 | 3.7 | 0.0405 |
| ALFT-04-7 | 4.50 | 20.0 | 3.7 | 0.0405 |
| ALFT-04-8 | 7.00 | 30.0 | 3.5 | 0.0405 |
| ALFT-04-9 | 10.00 | 40.0 | 3.0 | 0.0405 |
| ALFT-04-10 | 0.12 | 4.5 | 6.0 | 0.0511 |


Turns Ratio: $1:1 \pm 2\%$ Hipot: $2000V_{RMS}$

 I_{rate} : Based on temperature rise (ΔT : $40^{\circ}C$ max)

Test Conditions

Test Freq for L: 1KHz, 0.1Vrms

> OUTLINE DRAWING:







Common Mode Line Filter

ALFT-04






MATERIALS

| Part Name | UL file Number | Supplier | |
|-------------|-------------------|---|--|
| Magnet Wire | E234565 | Dezgou Feilong Electrical Material Co. | |
| - | | DONGGUAN CITY HUMEN EATTO INSULATION MATERIAL | |
| Epoxy | E218090 | FACTORY | |
| Epoxy | E105888 | SHAW HUOW ENTERPRISE CO LTD | |
| Base | E59481(S) | CHANG CHUN PLASTICS CO. LTD | |

> SCHEMATICS



Packing 100pcs/Box

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



