



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




Sample Kit Contents


KEMET Part Number	VDC	VDC Surge Voltage	Rated Capacitance 120 Hz 20°C (µF)	Case Size D x L (mm)	DF 120 Hz 20°C (tan δ %)	LC 20°C 2 Minutes (µA)	Quantity
ESL, +105°C High Reliability and Long Life (up to 10,000 hours)							
ESL107M016AC3AA	16	20	100	5 x 11	16	16	10
ESL337M025AGMAA	25	32	330	8 x 11.5	14	82.5	10
ESL477M025AH9AA	25	32	470	10 x 12.5	14	117.5	10
ESL107M035AE3AA	35	44	100	6.3 x 11	12	35	10
ESL227M035AG8AA	35	44	220	8 x 16	12	77	10
ESL107M050AGMAA	50	63	100	8 x 11.5	10	50	10
ESL107M063AG8AA	63	79	100	8 x 16	9	63	10
ESL105M100AC3AA	100	125	1	5 x 11	9	3	10
ESL106M100AE3AA	100	125	10	6.3 x 11	9	10	10
ESL476M100AH9AA	100	125	47	10 x 12.5	9	47	10
ESL106M200AG9AA	200	250	10	8 x 12	15	50	10
EST, +105°C Low Impedance and Long Life (up to 10,000 hours)							
EST108M025AL3EA	25	32	1,000	13 x 20	14	250	10
EST108M035AL4AA	35	44	1,000	13 x 25	12	350	5
EST108M063AM3AA	63	79	1,000	16 x 36	14	630	5
EST477M050AL3AA	50	63	470	13 x 20	14	235	5
EST477M100AN5AA	100	125	470	18 x 25	14	470	5
ESU, +105°C Long Life (up to 12,000 hours)							
ESU107M160AL4AA	160	-	100	13 x 25	15	740	5
ESU107M200AM7AA	200	-	100	16 x 25	15	900	5
ESU106M350AH4AA	350	-	10	10 x 20	20	240	5
ESU106M400AH4AA	400	-	10	10 x 20	20	260	5
ESU338M450AM7AA	450	-	33	16 x 25	20	694	5
ESU107M450AN9AA	450	-	100	18 x 50	20	1900	3
ESZ, +105°C Long Life (up to 10,000 hours)							
ESZ106M450AK5AA	450	500	10	12.5 x 20	24	280	5
ETA, +105°C High Reliability and Low Impedance (4,000 - 10,000 hours)							
ETA128M6R3AG6AA	6.3	8	1,200	8 x 20	22	75.6	5



www.kemet.com/ESL




www.kemet.com/EST




www.kemet.com/ESU


Dimensions – Millimeters



Size Code	D		L		p		d		LL+/LL-	
	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
C3	5	±0.5	11	+1.5/-0	2.0	±0.5	0.5	Nominal	20/15	Minimum
E3	6.3	±0.5	11	+1.5/-0	2.0	±0.5	0.5	Nominal	20/15	Minimum
GM	8	±0.5	11.5	+2.0/-0	3.5	±0.5	0.6	Nominal	20/15	Minimum
G6	8	±0.5	20	+2.0/-0	3.5	±0.5	0.6	Nominal	20/15	Minimum
G8	8	±0.5	16	+2.0/-0	3.5	±0.5	0.6	Nominal	20/15	Minimum
G9	8	±0.5	12	+2.0/-0	3.5	±0.5	0.6	Nominal	20/15	Minimum
H4	10	±0.5	20	+2.0/-0	5.0	±0.5	0.6	Nominal	20/15	Minimum
H9	10	±0.5	12.5	+1.5/-0	5.0	±0.5	0.6	Nominal	20/15	Minimum
K5	12.5	±0.5	20	+2.0/-0	5.0	±0.5	0.6	Nominal	20/15	Minimum
L3	13	±0.5	20	+2.0/-0	5.0	±0.5	0.6	Nominal	20/15	Minimum
L4	13	±0.5	25	+2.0/-0	5.0	±0.5	0.6	Nominal	20/15	Minimum
M3	16	±0.5	36	+2.0/-0	7.5	±0.5	0.8	Nominal	20/15	Minimum
M7	16	±0.5	25	+2.0/-0	7.5	±0.5	0.8	Nominal	20/15	Minimum
N5	18	±0.5	25	+2.0/-0	7.5	±0.5	0.8	Nominal	20/15	Minimum
N9	18	±0.5	50	+2.0/-0	7.5	±0.5	0.8	Nominal	20/15	Minimum



www.kemet.com/ESZ



www.kemet.com/ETA