



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts,Customers Priority,Honest Operation,and Considerate Service",our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





## Telaris EARTH-TEST Earth Resistance Tester

The Telaris Earth-Test can test the ability of soil and grounding connection to conduct electricity and provide an electrical reference point. Good soil conductivity is needed to limit static electricity charge in potentially flammable situations and minimize the voltage difference between power return and earth ground for personal safety. Resistance testing is done by 2 wire, 3 wire or 4 wire testing methods.

- Earth resistance measurement
- Specific earth resistance measurement
- The integrated constant current measurement principle allows the application in sandy as well in rocky environments
- Monitoring and display of auxiliary earth and probe resistances
- Displays the actual test current
- Automatic and manual and frequency selection for noise reduction
- Test voltage pre-selection
- Clear and large digital display provides the user with an optimum visual indication of both test values and limits
- Auto power off
- Specific earth resistance measurement in compliance with the Wenner principle

### No hassle warranty

*No waiting.*

*No shipping charges.*



Our commitment to high-quality products and customer service is demonstrated by our industry exclusive "No Hassle" warranty. In the unlikely event that an Amprobe Test Tool requires warranty service, any of our local dealers are authorized to replace it, on the spot.

(note: \$500 MSLP limit)



**Telaris EARTH-TEST Earth Resistance Tester****Specifications**

<b>Display</b>	3 digit; LCD; 1999 Count	
<b>Meas. Principle</b>	Constant voltage / variable current measurement	
<b>Earth Resistance</b>	Range	0.05 to 19.99 $\Omega$ ; 20 to 199.9 $\Omega$ ; 200 to 1999 $\Omega$
	Resolution	0.01 $\Omega$ ; 0.1 $\Omega$ ; 1 $\Omega$
	Tolerance	$\pm$ (4% rdg. + 2 digits)
<b>Probe-aux. resistance</b>	Range	0.1 to 50 k $\Omega$
	Resolution	0.1 k $\Omega$
	Tolerance	$\pm$ (10% rdg. + 3 digits)
<b>Test Current Display</b>	Range	0.1 to 13 mA
	Resolution	0.1 mA
	Tolerance	$\pm$ (10% rdg. + 3 digits)
<b>Max. Test Current</b>	approx. 12 mA	
<b>Test Voltage</b>	max. 25 V / 50 V AC selectable	
<b>Frequency</b>	127 Hz / 140 Hz selectable	
<b>Safety Complying with</b>	EN61010-1/DIN VDE 0411, EN61557-1,5/DIN VDE 0413	
<b>Overvoltage category</b>	CAT III / 300 V	
<b>Pollution Degree</b>	2	
<b>Power Supply</b>	6 x 1.5 V(AA), IEC LR6	
<b>Dimensions</b>	235 x 105 x 68 mm (9.3 x 4.1 x 2.7 in.)	
<b>Weight (inc. batteries)</b>	approx. 640g (1.4 lbs.)	

**Amprobe® Test Tools**

website: [www.Amprobe.com](http://www.Amprobe.com)  
email: [info@amprobe.com](mailto:info@amprobe.com)  
Everett, WA 98203  
Tel: 877-AMPROBE

**Amprobe® Test Tools Europe**

Amprobe Test Tools Europe  
Beha-Amprobe GmbH  
In den Engematten 14  
79286 Glottertal, Germany  
Tel.: +49 (0) 7684 8009 - 0

©2008 Amprobe Test Tools. All rights reserved.  
10/2008 3393515 Rev A