

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









## **Product Overview**

## AR0144CS: CMOS Image Sensor, Digital, Global Shutter, 1.0 MP, 1/4-Inch

For complete documentation, see the data sheet.

The AR0144 is a 1/4-inch 1.0 Mp CMOS digital image sensor with an active-pixel array of 1280H x 800V. It incorporates a new innovative global shutter pixel design optimized for accurate and fast capture of moving scenes. The sensor produces clear, low noise images in both low-light and bright scenes. It includes sophisticated camera functions such as auto exposure control, windowing, row skip mode, column-skip mode, pixel-binning and both video and single frame modes. It is programmable through a simple two-wire serial interface. The AR0144 produces extraordinarily clear, sharp digital pictures, and its ability to capture both continuous video and single frames makes it the perfect choice for a wide range of applications, including scanning and industrial inspection.

#### **Features**

- · Best Global Shutter Efficiency
- · Low Dark Current/Hot Pixels
- · High Linear Full Well
- · Low Operational Power
- · Small Form Factor

### **Applications**

- · Barcode Scanning
- 3D Scanning
- · Virtual/Augmented Reality
- · Positional Tracking
- · Gesture Recognition

#### **Benefits**

- · Improved image quality for fast moving objects
- · Total Noise Floor Reduction, SNR Improvement
- · High Dynamic Range
- · Ideal for battery powered applications
- Ideal for space constrained applications like Handheld Scanners

#### **End Products**

- · Barcode Scanners
- · Head Mounted Displays
- · Biometric Scanners
- · Virtual Reality/Augmented Reality Glasses
- · Drones

Part Electrical Specifications											
Product	Compliance	Status	Туре	Megapixel s	Frame Rate (fps)	Optical Format	Shutter Type	Pixel Size (µm)	Output Interface	Color	Package Type
AR0144CSSC00SUD2	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	
AR0144CSSC00SUKA 0-CPBR	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP- 69
AR0144CSSC00SUKA 0-CRBR	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP- 69
AR0144CSSC20SUD2 0	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	
AR0144CSSC20SUKA 0-CPBR	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP- 69
AR0144CSSC20SUKA 0-CRBR	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	RGB	ODCSP- 69
AR0144CSSM00SUD2 0	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	
AR0144CSSM00SUKA 0-CPBR	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP- 69
AR0144CSSM00SUKA 0-CRBR	Pb-free Halide free	NEW	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP- 69
AR0144CSSM20SUD2 0	Pb-free Halide free	Active	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	
AR0144CSSM20SUKA 0-CPBR	Pb-free Halide free	Active	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP- 69
AR0144CSSM20SUKA 0-CPBR1	Pb-free Halide free	Active	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP- 69
AR0144CSSM20SUKA 0-CRBR	Pb-free Halide free	Active	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP- 69
AR0144CSSM20SUKA 0-CRBR1	Pb-free Halide free	Active	CMOS	1MP	60	1/4 inch	Global Shutter	3.0 x 3.0	Multi	Mono	ODCSP- 69
AR0144CSSM28SUD2 0	Pb-free Halide free	Active	CMOS	1MP	60	1/4 Inch	Global Shutter	3.0 x 3.0	Multi	Mono	

For more information please contact your local sales support at www.onsemi.com. Created on: 8/20/2018