



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us


Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# UHF RFID Antenna



ARRKP4065-S915A

40.0 x 40.0 x 6.5mm  
RoHS/RoHS II Compliant  
MSL = 1

## FEATURES

- 902 ~ 928 MHz frequency range
- Gain of 1.5 dBi
- VSWR  $\leq$  2.0
- Easy to install
- RF Cable and Connector
- RoHS Compliant


## APPLICATIONS

- Industrial automation
- Smart Cards
- Asset Management
- Manufacturing
- Field Mobility
- Transportation

## ELECTRICAL SPECIFICATIONS

Parameters	min	Typ.	Max.	Units	Note
Center Frequency		915		MHz	
Frequency range	902		928	MHz	
V.S.W.R			2.0		
Bandwidth @-10dB	6			MHz	
Impedence		50			
Gain		1.5		dBi	Based on 40×40mm ground plane
Polarization		RHCP			
Axial Ratio	3				
Operating Temperature	-40		+85	°C	10% ~ 95% RH
Storage Temperature	-45		+85	°C	10% ~ 95% RH

## SMITH CHART






# UHF RFID Antenna



ARRKP4065-S915A

40.0 x 40.0 x 6.5mm  
RoHS/RoHS II Compliant  
MSL = 1


## OUTLINE DIMENSIONS



Unit: mm

Description	Material
Antenna Type	Dielectric Ceramics 35x35x4mm
PCB	FR4, 40 x 40 mm
RF Cable	RF Micro Coax, $\Phi$ 1.13 mm, L1=110±3mm (edge of PCB to connector)
RF Connector	IPEX
Thickness	6.5mm Max

# UHF RFID Antenna



ARRKP4065-S915A

40.0 x 40.0 x 6.5mm  
RoHS/RoHS II Compliant  
MSL = 1

## PACKAGING

The carton contains 2 inner boxes each with 108 pcs inside, and the size of each carton is 38 x 30 x 24cm.

Description	Material
Inner Box	108
Boxes per carton	2
Total qty per carton	216
Carton Gross weight	9Kg
Carton dimensions	38*30*24cm

## CAUTION

1. Do not apply excess mechanical stress to the component body or terminations. Do not attempt to re-form or bend the components as this will cause damage to the component.
2. Do not expose the component to open flame.
3. This specification applies to the functionality of the component as a single unit. Please insure the component is thoroughly evaluated in the application circuit.