imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Operation Manual: AS5145B-EK-AB-STM1.0



AS5145B Eval-Kit Stepper Motor

Table of Contents

	Schematics, Layout	
	Mechanical Design Considerations	
3.	How to get the Eval-Kit running	4
2.	Package and Board Description	2
1.	General Description	2




1. General Description

The AS5145B Eval-Kit is designed to adapt standard size stepper motors with a contactless rotary position sensor. Rotation of the magnet holders is sensed by the rotary position sensor, soldered on the PCB board.

2. Package and Board Description

Content of the Eval-Kit:

• AS5145B board



• 4 magnet holders









Ø 5mm

Ø 6mm

Ø 8mm



• 1 allen key (1.5mm)



• 1 quick start user guide

Figure 1: Connector






Table 1: Connector pinout

Description	Info
GND	Ground
DO	Data Output of SSI
CLK	Clock Input of SSI
CSn	Chip Select
3V3	3.3V-Regulator Output.
5V	Positive Supply Voltage.
Prg	Programming Input.
GND	GND
MagINCn	magnet field status indicator
MagDECn	magnet field status indicator
А	Quadrature Output A
В	Quadrature Output B
Ind	Index Output
PWM	Pulse Width Modulation output
	GND DO CLK CSN 3V3 3V3 5V Prg GND MagINCN MagINCN MagDECN A A B Ind

3. How to get the Eval-Kit running









4. Mechanical Design Considerations

Table 2: Motor References (Examples)

Part Number	Web Page	Manufacturer	
17PY-X0XX	www.nmbtc.com	NMB Technologies Corporation -	
17PY-X8XX		Motor Group	NMB
17PY-X4XX		- ·	
17H018D series	www.portescap.com	Portescap	
17H118D series		· · · · · · · · · · · · · · · · · · ·	ortescap
17H218D series		-	


Table	3:
Used	Magnet

Part Number	Web Page	Manufacturer	
2910041-1	www.dextermag.com	Dexter Magnetic Technologies	DEXTER

Additional recommended magnet suppliers refer to our hompage:

http://www.ams.com/eng/Products/Magnetic-Encoders/Magnets2/Recommended-Magnet-Suppliers

Figure 4: Mounting the AS5145B Eval-Kit




The AS5145B board can be mounted on double shaft motors. (See figure 4)

Screws and distance bolts are not included.

5. Schematics, Layout

Figure 5: Schematic






Figure 6: Top Layer Figure 7: Bottom Layer




Table 4: Bill of Materials

Pos	Part Number	Reference
1	PCB Board	PCB1
2	U1	AS5145B
3	C1	10uF/10V/0805
4	C2	10uF/10V/0805
5	C3	100nF/10V/0603
6	P1	14 Pin Header



Figure 8: Magnet Holder



Grub screw for fixing on the shaft of the motor.

Figure 9: Magnet Holder Dimensions





Figure 10: Layout Dimensions





6. Ordering Information

Table 5: Ordering Information

Ordering Code	Description
AS5145B-EK-AB-STM1.0	AS5145B Eval-Kit Stepper Motor with ABI, SSI, PWM

Revisions History

Revision	Date	Description
1.0	August 6, 2012	First version
1.1	Januar 23, 2014	Updated to new board design



Copyright

Copyright ams AG, Tobelbader Strasse 30, 8141 Unterpremstätten, Austria-Europe. Trademarks Registered. All rights reserved. The material herein may not be reproduced, adapted, merged, translated, stored, or used without the prior written consent of the copyright owner.

Disclaimer

Devices sold by ams AG are covered by the warranty and patent indemnification provisions appearing in its Term of Sale. ams AG makes no warranty, express, statutory, implied, or by description regarding the information set forth herein. ams AG reserves the right to change specifications and prices at any time and without notice. Therefore, prior to designing this product into a system, it is necessary to check with ams AG for current information. This product is intended for use in commercial applications. Applications requiring extended temperature range, unusual environmental requirements, or high reliability applications, such as military, medical life-support or life-sustaining equipment are specifically not recommended without additional processing by ams AG for each application. This Product is provided by ams "AS IS" and any express or implied warranties, including, but not limited to the implied warranties of merchantability and fitness for a particular purpose are disclaimed.

ams AG shall not be liable to recipient or any third party for any damages, including but not limited to personal injury, property damage, loss of profits, loss of use, interruption of business or indirect, special, incidental or consequential damages, of any kind, in connection with or arising out of the furnishing, performance or use of the technical data herein. No obligation or liability to recipient or any third party shall arise or flow out of ams AG rendering of technical or other services.

Contact Information

Headquarters ams AG Tobelbader Strasse 30 8141 Unterpremstaetten Austria T. +43 (0) 3136 500 0 For Sales Offices, Distributors and Representatives, please visit: http://www.ams.com/contact