

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







building a smarter, unified business foundation

WORLDWIDE

[CHANGE] ENGLISH

REGISTER / LOG IN

FOLLOW US



SOLUTIONS PRODUCTS AND SERVICES SUPPORT **ABOUT US** 







ASMS-A-T Add to BOM | Add to Favorites

Epoxy Applied Cable Tie Swivel Mount

Product Details Related Documents

Std. Ctn. Weight (lb)	7.6000
Std. Pallet Volume (cf)	38.927778
Std. Pkg. Qty.	200
Std. Ctn. Volume (cf)	0.4055
Std. Pallet Weight (lb)	729.6000
RoHS Compliancy Status	Compliant
Part Description	Epoxy Applied Cable Tie Swivel Mount
Product Type	Cable Tie Mounts - Epoxy Applied
Material	Aluminum Base/Nylon Mount
Color	Natural
Width (ln.)	1.13
Length (mm)	28.6
Length (In.)	1.13
Width (mm)	28.6
Height (In.)	0.35
Height (mm)	8.9
Туре	Tie Mount - User Supplied Adhesive
Pricing Description	Cable Tie Mount, Swivel, Epoxy, 1.13"x1.13" (28.7mm x 28.7mm)
Used With Cable Ties	M, I, S
Mounting Method	EMA Epoxy
Max. Static Load (Lbs.)	10.00
Max. Static Load (g)	4540
Environment	Indoor
Adhesive Type	EMA Epoxy
CE Compliant	Yes
Min. Order Qty.	200.0000
Mounting Method  Max. Static Load (Lbs.)  Max. Static Load (g)  Environment  Adhesive Type  CE Compliant	EMA Epoxy  10.00  4540 Indoor  EMA Epoxy Yes