



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: [info@chipsmall.com](mailto:info@chipsmall.com) Web: [www.chipsmall.com](http://www.chipsmall.com)

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



4		3		2		1																																									
ITEM	CONNECTOR PART NO.	DESCRIPTION	IPI CHECK		EOR CHECK		Applicable Tooling																																								
1	SRSF-91-250AS	RSF CONTACT, BRASS					APPLICATOR																																								
2	UL1015, 12 AWG	BLACK																																													
SUGGESTED MATING TAB NO SCALE			Applicable Housings																																												
<table><tr><td colspan="2">WITHOUT STABILIZER</td><td colspan="2">WITH STABILIZER</td></tr><tr><td>DIM. "A"</td><td>2.20 [0.087] MIN.</td><td colspan="2">4.20±0.15 [0.165±0.006]</td></tr><tr><td>DIM. "B"</td><td>7.40 [0.291] MIN.</td><td colspan="2">7.98 [0.314] MIN.</td></tr><tr><td>DIM. "C"</td><td>5.90 [0.232] MAX.</td><td colspan="2">(7.6)</td></tr></table> <p>MATING TAB NOTES: 4. MAT'L: BRASS. FINISH: SUGGESTED NO PLATING.</p>			WITHOUT STABILIZER		WITH STABILIZER		DIM. "A"	2.20 [0.087] MIN.	4.20±0.15 [0.165±0.006]		DIM. "B"	7.40 [0.291] MIN.	7.98 [0.314] MIN.		DIM. "C"	5.90 [0.232] MAX.	(7.6)		<table><tr><th>NO. OF CIRCUITS</th><th>KEYLESS HOUSING PART NO.</th></tr><tr><td>2</td><td>RSFP-2V-00</td></tr><tr><td>3</td><td>RSFP-3V-00</td></tr><tr><td>4</td><td>RSFP-4V-00</td></tr><tr><td>5</td><td>RSFP-5V-00</td></tr><tr><td>6</td><td>RSFP-6V-00</td></tr><tr><td>7</td><td>RSFP-7V-00</td></tr><tr><td>8</td><td>RSFP-8V-00</td></tr><tr><td>9</td><td>RSFP-9V-00</td></tr><tr><td>10</td><td>RSFP-10V-00</td></tr><tr><td>11</td><td>RSFP-11V-00</td></tr><tr><td>12</td><td>RSFP-12V-00</td></tr></table> <p>Other housings and configurations are available. Please contact JST for details.</p>					NO. OF CIRCUITS	KEYLESS HOUSING PART NO.	2	RSFP-2V-00	3	RSFP-3V-00	4	RSFP-4V-00	5	RSFP-5V-00	6	RSFP-6V-00	7	RSFP-7V-00	8	RSFP-8V-00	9	RSFP-9V-00	10	RSFP-10V-00	11	RSFP-11V-00	12	RSFP-12V-00
WITHOUT STABILIZER		WITH STABILIZER																																													
DIM. "A"	2.20 [0.087] MIN.	4.20±0.15 [0.165±0.006]																																													
DIM. "B"	7.40 [0.291] MIN.	7.98 [0.314] MIN.																																													
DIM. "C"	5.90 [0.232] MAX.	(7.6)																																													
NO. OF CIRCUITS	KEYLESS HOUSING PART NO.																																														
2	RSFP-2V-00																																														
3	RSFP-3V-00																																														
4	RSFP-4V-00																																														
5	RSFP-5V-00																																														
6	RSFP-6V-00																																														
7	RSFP-7V-00																																														
8	RSFP-8V-00																																														
9	RSFP-9V-00																																														
10	RSFP-10V-00																																														
11	RSFP-11V-00																																														
12	RSFP-12V-00																																														
REV.			DESCRIPTION	DATE	BY	SCALE 1: 1																																									
						CUSTOMER NAME																																									
						CUSTOMER PART NO.																																									
						DIMENSIONS All dimensions are in MM with a tolerance of +/- 3.0 unless otherwise specified.																																									
						DESCRIPTION 2" LIF, POS LOCK, .250, DOUBLE-END LEADS, BRASS, F-F																																									
						DRAWN BY STEVEN PILKINGTON																																									
						ASSEMBLY PART NO. ASRSFSRSF12K51A																																									
						CHECKED BY JUSTIN BAKER																																									
						DRAWING NO. & REVISION GAM-133																																									
						REVISED 3/15/2016																																									