



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!







## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





**NOTES:**

**MATERIAL**

- ⑥ 1. Insulator Material: PA9T+30%GF(UL94V-0), Black
- 2. Contact Material : Brass
- 3. Contact Plating : Gold flash Over 50µ"Ni

**ELECTRICAL**

- 1. Current Rating : 1.5AMP
- 2. Withstand Voltage : 500V AC/DC
- 3. Contact Resistance : 20mΩ max
- 4. Insulation Resistance : 1000MΩ min

**ENVIRONMENTAL**

- 1. Operation Temperature: -40°C to +105°C
- 2. Packing: Tube

**Order Information :**

- ④ xx: 06, 10, 14, 16, 20, 24, 26, 30, 34, 40, 44, 50, 60

**RoHS compliant**  
Unit: mm

File No.: E198287 ③

Scale	Free	⑥	Add the soldering profile & Change the material to PA9T	
<b>TOLERANCE</b>		⑤	Update the packing	
X.X	±0.40	④	Add 06 poles version into the drawing	
X.XX	±0.25	③	Add UL-File No	
X.XXX	±0.15	②	Update	
Angle°	±3°	①	Drawn	
			Id.	

Customer-No.	Date	Name	Customer-No.	Sheet
ASSMANN WSW-No.	25.01.2006	Alex	AWHW2 XXA-0202	1/2
Drawing-No.	22.03.2016	Winnie	ASS 2318 CO	rev06
Replace				



1	2	3	4	5	6	7
A	B	C	D	E	F	G
H	H	H	H	H	H	H

1

2

3

4

5

6

7

A

### SMT Type Product Past IR Reflow Graph



A

B

B

C

C

D

D

E

E

F

F

G

**RoHS compliant**  
 Unit: mm  
  
 File No.: E198287 ③

Scale	Free
TOLERANCE	
X.X	±0.40
X.XX	±0.25
X.XXX	±0.15
Angle°	±3°

⑥	Add the soldering profile & Change the material to PA9T	22.03.2016	Winnie
⑤	Update the packing	25.02.2014	Amy
④	Add 06 poles version into the drawing	08.02.2014	Amy
③	Add UL-File No	12.12.2013	Winnie
②	Update	29.06.2009	Dean
①	Drawn	25.01.2006	Alex

⑥	Customer-No.	
⑤	ASSMANN WSW-No.	
④	Drawing-No.	
③	ASS 2318 CO	rev06
②	AWHW2	XXA-0202
①	Replace	Sheet 2/2

⑥	Date	25.01.2006	Name	Alex
⑤	Date	22.03.2016	Name	Winnie

G

H

H



1

2

3

4

5

6

7

SV3505