



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## IR Remote Control Extender/Receiver with 5-ft. Cord for B119-003-1

MODEL NUMBER: **B119-000-REC**



### Highlights

- Extend the range of B119-003-1 HDMI switch remote control

### System Requirements

- B119-003-1 HDMI 3-port Switch

### Package Includes

- 5ft, B119-000-REC extender

### Description

Tripp Lite B119-000-REC allows you to extend the range of the remote control unit included with Tripp Lite B119-003-1 HDMI 3-port switch. 5 meter range from IR Receiver to Remote.

### Features

- Connects to IR EXT port of B119-003-1 3-port HDMI switch
- Extends the range of the remote control included with B119-003-1
- 5ft extender length....5 meter range from extender to Remote control

## Specifications

OVERVIEW	
UPC Code	037332181091
Technology	IR
INPUT	
Cable Length (ft.)	5
Cable Length (m)	1.5
PHYSICAL	
Shipping Dimensions (hwd / in.)	0.500 x 0.250 x 2.000
Shipping Dimensions (hwd / cm)	1.27 x 0.64 x 5.08
Shipping Weight (lbs.)	0.0500



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

Shipping Weight (kg)	0.02
Unit Packaging Type	Polybag
Unit Weight (lbs.)	0.05
Unit Weight (kg)	0.02
Material of Construction	PVC, ABS
Color	Black
<b>ENVIRONMENTAL</b>	
Operating Temperature Range	32 to 104 F (0 to 40 C)
Storage Temperature Range	-4 to 158 F (-20 to 70 C)
Relative Humidity	5% to 90% RH, Non-Condensing
<b>CONNECTIONS</b>	
Ports	3
Side A - Connector 1	3.5MM (MALE)
Connector Plating	Gold
<b>FEATURES &amp; SPECIFICATIONS</b>	
Driver Required	No
Consumer Electronics Control (CEC) Supported	Yes
<b>CERTIFICATIONS</b>	
Certifications	Tested to CE, FCC, RoHS, REACH
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	3-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>