imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

S-Video with Stereo Audio over Cat5/Cat6 Extender Kit, In-Line Transmitter and Receiver, Up to 700-ft.

MODEL NUMBER: B137-101



Description

Tripp Lite's B137-101 S-Video + Stereo Audio extender kit comes with both local and remote units, allowing you to place a TV, Projector, etc, up to 700 ft. away from the source. A 480p (60Hz) S-Video and Stereo Audio signal can be extended up to 500 ft. using 24Awg, Solid Wire UTP cable (Tripp Lite N202-Series); or, up to 700 ft. using Zero-Skew UTP cable (Tripp Lite P524-01K). Built-in S-Video and Stereo Audio connectors plug directly into the source and display, without the need for additional cables....no external power required.

Features

- Comes with both local and remote units
- Built-in S-Video and Stereo Audio connectors plug directly into the source and display, without the need for additional cables
- Extends a 480p (60Hz) S-Video and Stereo Audio signal up to 500 ft. using 24Awg, Solid Wire UTP
- cable (Tripp Lite N202-Series); or, up to 700 ft. using Zero-Skew UTP cable (Tripp Lite P524-01K)
- No external power required

Specifications

OVERVIEW UPC Code 037332155542 Technology S-Video; Stereo Audio

Highlights

- Comes with both local and remote units
- Extends a 480p (60Hz) S-Video and Stereo Audio signal up to 500 ft. when using 24Awg, Solid Wire UTP cable (Tripp Lite N202-Series); or, up to 700 ft. when using Zero-Skew UTP cable (Tripp Lite P524-01K)
- No external power required

Package Includes

- B137-101 S-Video + Stereo Audio Extender Kit (2pc)
- Owner's Manual



PHYSICAL	
Shipping Dimensions (hwd / in.)	1.600 x 5.300 x 4.800
Shipping Dimensions (hwd / cm)	4.06 x 13.46 x 12.19
Shipping Weight (lbs.)	0.5000
Shipping Weight (kg)	0.23
COMMUNICATIONS	
Max 480P Range (ft)	700
Max 480i Range (ft)	700
CONNECTIONS	
Ports	1
Side A - Connector 1	S-VIDEO (MALE)
Side A - Connector 2	(2) RCA (MALE)
Side A - Connector 3	RJ45 (FEMALE)
Side B - Connector 1	S-VIDEO (MALE)
Side B - Connector 2	(2) RCA (MALE)
Side B - Connector 3	RJ45 (FEMALE)
WARRANTY	
Product Warranty Period (Worldwide)	1-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies