

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









Smart Technology. Delivered.

B8065CN Mobile

Load Coil Antenna 806-866 MHz



PREMIUM MOBILE LOAD COIL ANTENNAS ARE INDUSTRY STANDARD

Laird's ongoing commitment to refinement in mechanical and electrical design has resulted in the most technically advanced mobile load coil antennas on the market. Exclusive features such as stainless steel whips, housings constructed with ABS material injected molded around a solid brass insert, and gold plated push pin contacts make Laird the obvious choice for quality and long lasting value for demanding mobile radio communications.

FEATURES **✓** RoHS

- 5/8 Wave pver 5/8 Wave design for true 5dBi performance
- High performance mobile antenna operates on a No Ground plane (NGP) requirement
- Straight stainless steel rod
- · Easy installation with NMO mountable
- 100% tested on a network analyzer

MARKETS

- Public safety
- Transportation
- Utility
- · Military mobile

SPECIFICATIONS

ELECTRICAL	
Frequency Range	No Spring 806-866 MHz
VSWR	< 2.1
Nominal Gain	5 dBi
Maxmium Power	200 W
Nominal Impedance	Ω50
Polarization	Vertical
Pattern	Omnidirectional
Half-Power Beamwidth (Elevation° x Azimuth°)	60° x 360°
Coaxial Cable Length & Type (For Vertical Polarization)	None
Termination	NMO Socket or, type N-female
MECHANICAL	
Color	Chrome or Black
Height	18" [B8065CN]
	18" [B(B)8065CN]
Diameter	1.44"
Weight	< 1.0 lb
Material	ABS
Mounting Information (Others Sold Separately)	NMO (PN: MB8, MAB8)
Noise Suppressor (optional)	BlackHawk NS1535 1-35 VOLT, 15Amp Noise Supressor Sold Separately

Americas: +1.847 839.6907

IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com

www.lairdtech.com

ANT-DS-B806970 0615

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2015 Laird Inc. All Rights Reserved Laird, Laird Technologies, the Laird Logo, and other marks are trade marks or registered trade marks of Laird nor an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.