# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





#### **EPCOS Sample Kit 2014**

### Chip Inductors SIMID 0603-C, B82496X001



www.epcos.com




#### SMT Inductors – SIMID 0603-C

| L <sub>R</sub>           | nH     | 1.5    | 1.8    | 2.2    | 2.7    | 3.3    | 3.9    | 4.7    | 5.6    |
|--------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Q <sub>typ</sub> (at 800 | ) MHz) | 50     | 50     | 50     | 40     | 40     | 40     | 40     | 40     |
| fL                       | MHz    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| I <sub>R</sub>           | mA     | 1500   | 1500   | 1500   | 1400   | 1200   | 1100   | 800    | 700    |
| R <sub>max</sub>         | Ω      | 0.03   | 0.033  | 0.035  | 0.04   | 0.06   | 0.065  | 0.10   | 0.15   |
| f <sub>res, min</sub>    | MHz    | 13000  | 12000  | 10000  | 10000  | 9000   | 8000   | 7000   | 6000   |
| Ord. code                | B82496 | C3159A | C3189A | C3229A | C3279A | C3339A | C3399J | C3479J | C3569J |
| L <sub>R</sub>           | nH     | 6.8    | 8.2    | 10     | 12     | 15     | 18     | 22     | 27     |
| Q <sub>typ</sub> (at 800 | ) MHz) | 40     | 40     | 40     | 40     | 40     | 40     | 40     | 35     |
| fL                       | MHz    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 100    |
| I <sub>R</sub>           | mA     | 700    | 650    | 600    | 450    | 420    | 400    | 380    | 360    |
| R <sub>max</sub>         | Ω      | 0.15   | 0.18   | 0.20   | 0.35   | 0.40   | 0.45   | 0.50   | 0.55   |
| f <sub>res, min</sub>    | MHz    | 6000   | 6000   | 5000   | 5000   | 4500   | 4000   | 4000   | 3000   |
| Ord. code                | B82496 | C3689J | C3829J | C3100J | C3120J | C3150J | C3180J | C3220J | C3270J |
| L <sub>R</sub>           | nH     | 33     | 39     | 47     | 56     | 68     | 82     | 100    | 220    |
| Q <sub>typ</sub> (at 800 | MHz)   | 35     | 35     | 35     | 35     | 35     | 35     | 30     | 25     |
| fL                       | MHz    | 100    | 100    | 100    | 100    | 100    | 100    | 100    | 25.2   |
| I <sub>R</sub>           | mA     | 350    | 300    | 270    | 250    | 230    | 220    | 200    | 110    |
| R <sub>max</sub>         | Ω      | 0.60   | 0.80   | 0.95   | 1.2    | 1.3    | 1.5    | 1.8    | 7.0    |
| f <sub>res, min</sub>    | MHz    | 3000   | 2500   | 2500   | 2500   | 2000   | 2000   | 1800   | 1300   |
| Ord. code                | B82496 | C3330J | C3390J | C3470J | C3560J | C3680J | C3820J | C3101J | C3221J |

SIMID<sup>®</sup> is a registered trademark. Tolerance:  $A \triangleq \pm 0.3$  nH, J  $\triangleq \pm 5\%$ . Additional values upon request

© EPCOS AG · A TDK Group Company · Edition 2014 · Ordering No. B82496X001 · Printed in Germany · SO 05141.



Important information: It is incumbent on the customer to check and decide whether a product is suitable for use in a particular application. Our products are described in detail in our data sheets. Our *Important notes* and the productspecific *Cautions and warnings* must be observed. All relevant information is available through our sales offices.