



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Frame Core Chokes for Power Lines

Series B82732F*B001

$L_R +30/-50\%$	mH	10	15	27	39	47	68	100
$I_{R \text{ typ}}$	A	1.6	1.3	0.9	0.8	0.7	0.6	0.45
$L_{\text{stray typ}}$	μH	200	290	520	760	920	1340	1930
R_{typ}	m Ω	290	430	770	1100	1260	1970	2930
Ordering code		B82732 F2162B001	B82732 F2132B001	B82732 F2901B001	B82732 F2801B001	B82732 F2701B001	B82732 F2601B001	B82732 F2451B001

Rated inductance L_R : measured at 10 kHz, 0.1 mA, 20 °C

- Rated current: I_R at 50 Hz and $T_A = 40$ °C
- Rated voltage: 250 V AC
- Clearance and creepage distances: > 3 mm
- Lead spacing: 18.75 x 10.0 ±0.2 mm
- Climatic category 40/125/56 (to IEC 60068-1)
- Excellent differential-mode suppression

Contact at product marketing: uwe.ernst@epcos.com

