imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Smart Technology. Delivered.

Mobile Load Coil Antenna Spring B4303S



PREMIUM MOBILE LOAD COIL ANTENNAS ARE INDUSTRY STANDARD

Laird's ongoing commitment to refinement in mechanical and electrical design has resulted in the most technically advanced mobile load coil antennas on the market. Exclusive features such as stainless steel whips, housings constructed with ABS material injected molded around a solid brass insert, and gold plated push pin contacts make Laird the obvious choice for quality and long lasting value for demanding mobile radio communications.


FEATURES **V**ROHS

- Easily removable rod allows the mount to stay water tight during car washes
- O-ring built into the base creates a weather-tight seal
- ABS material is injection molded directly around the solid brass inserts for a virtually indestructible housing that will not leak or dissassemble
- All silver soldered joints provide an electrically and mechanically secure connection

ANTENNA PATTERNS

MARKETS

- Public safety
- Transportation
- Utility
- Military mobile



Elevation Pattern (Y, Z, or H-plane)

Americas: +1.847 839.6907 IAS-AmericasEastSales@lairdtech.com

Europe: +44.1628.858941 IAS-EUSales@lairdtech.com

Asia: +86.21.5855.0827.127 IAS-AsiaSales@lairdtech.com

www.lairdtech.com



Mobile Load Coil Antenna Spring B4303S

SPECIFICATIONS

ELECTRICAL		
Frequency Range	430-450 MHz	
VSWR	< 2.1 Max	
Nominal Gain	3 dBi	
Maxmium Power	200 W	
Nominal Impedance	50 Ω	
Polarization	Vertical	
Pattern	Omnidirectional	
Half-Power Beamwidth (Elevation° x Azimuth°)	70° x 360°	
Coaxial Cable Length & Type (For Vertical Polarization)	None	
Terminations	NMO	
Noise Suppressor	BlackHawk NS1535 1-35 VOLT, 15 Amp Noise Suppessor (Sold Separately)	

19%" (Also, see cutting chart)
1.44″
< 0.5 lb
0.023 sq. ft.
NMO Mountable

MODEL AND ORDERING INFORMATION

MODEL	DESCRIPTION	OVERALL HEIGHT	TUNING
B4303S	430-450 MHz, 5/8 Wave, Chrome Finish	23″	See Cutting Chart
BB4303S	430-450 MHz, 5/8 Wave, Black Finish	23″	See Cutting Chart

B4303S CUTTING CHART

FREQUENCY	WHIP LENGTH
430 MHz	9-13/16"
435 MHz	95⁄8″
440 MHz	18-5/16″
445 MHz	9″
450 MHz	8¾″

ANT-DS-B4303S 111014

Any information furnished by Laird Inc. and its agents is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user, since Laird and its agents cannot be aware of all potential uses. Laird makes no warranties as to the fitness, merchantability or suitability of any Laird materials or products for any specific or general uses. Laird and land to be laible for incidental or consequential damages of any kind. All taird products are applicationed to a conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2014 Laird Inc. All Rights Reserved. Laird, Laird Technologies, the Laird Logo, and other marks are trade marks or laird inc. or an affiliate company thereof. Other product or service names may be the property of third parties. Nothing herein provides a license under any Laird marks or laird the served to a service names may be the property of third parties. Nothing herein provides a license under any Laird or any third party intellectual property rights.