



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





JKL PART NUMBER	LENGTH (A) +/- 2mm	STARTING VOLTAGE VS (Vrms)	OPERATING VOLTAGE VL (Vrms)	OPERATING CURRENT IL (mArms)	LAMP WATTS	PEAK WAVELENGTH nm	OUTPUT INTENSITY uW/cm2 @ 1"	OUTPUT FLUX uW (TYP.)	*RATED LIFE HOURS	GLASS PROSPHOR COLOR
BF850-UVC	50mm	450	150	5 ± 1	.75	254	430	450	20,000	CLEAR
BF8100-UVC	100mm	650	200	5 ± 1	1.0	254	430	600	20,000	CLEAR

*NOTE: RATED LIFE IS DEFINED AS THE POINT AT WHICH THE OUTPUT BECOMES 50% OF THE INITIAL RATING.

ALL SPECIFICATIONS ARE TYPICAL WITH THE LAMP OPERATING AFTER STABILIZATION, AT AN AMBIENT TEMPERATURE OF 25° C.

MERCURY (Hg) CONTENT: 8.7mg MAX.

CAUTION! DIRECT EXPOSURE MAY RESULT IN EYE DAMAGE.

Spectral output in the 254nm range is particularly dangerous to human vision. Even though this lamp has low power output, appropriate precautions should be taken at all times.

		METRIC THIRD ANGLE PROJECTION		DIMENSIONS ARE IN MILLIMETERS TOLERANCE UNLESS OTHERWISE SPECIFIED 1 PL +/- 0.2 2 PL +/- 0.20 ANGLE +/- 0		JKL COMPONENTS CORPORATION							
						TITLE UV SHORT WAVELENGTH LAMP							
D OUTPUT INTENSITY TO 430 C CHANGE nm TO 254 AND GLASS COLOR - CLEAR		1/15/07 8/29/06		DRAWN BY L. WENGSTROM		APPVD BY DATE L. R. 1/15/07		SIZE A		FSCM NO. 55335		DRAWING NO. BF 8-UVC	
B ELECT. RATING CHART CHANGES & ADD NOTES A ELECT. RATING & DIA. CHANGES RELEASED TO CAD		5/8/06 10/26/05 9/6/05		- CAD DRAWING - MANUAL REVISIONS NOT PERMITTED		SCALE NONE		RELEASED DATE 9/6/05		REVISION DATE 1/15/07		REV. NO. D SHEET 1 OF 1	