

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









External 12/24V Tower Battery Pack Enclosure for PowerVerter APS Inverter/Chargers (BP-260)

MODEL NUMBER: BP-260



Highlights

- Sturdy metal battery cabinet
- Holds two 12V batteries (sold separately)

Package Includes

- BP260 external battery pack
- Battery cabling, terminal isolators and nut and bolt battery connectors
- Instruction manual

Description

Tripp Lite's BP260 battery pack for use with Tripp Lite 12 and 24 volt PowerVerter APS inverter/charger systems. Rugged all metal battery enclosure safely houses two batteries and includes heavy gauge cabling, nut and bolt connectors and battery terminal isolators for user installation. Holds two Tripp Lite separate-purchase 98-121 batteries rated at 12 volts, 75 amp hours.

Features

- Offers extended-run operation when used in conjunction with Tripp Lite APS systems with a 12 or 24V
 DC battery connection
- Holds 2 Tripp Lite 98-121 batteries rated at 12 volts, 75 amp hours (sold separately)
- Rugged all-metal battery enclosure safely houses two batteries
- Includes complete battery cabling (two 2-ft., two 8-in., one 6 inch fusable link), nuts and bolts for battery connection, set of red battery terminal isolators

Specifications

OVERVIEW		
UPC Code	037332080011	
Accessories Type	Battery Housing	
PHYSICAL		
Shipping Dimensions (hwd / in.)	19.70 x 11.10 x 12.20	
Shipping Dimensions (hwd / cm)	50.04 x 28.19 x 30.99	
Shipping Weight (lbs.)	19.80	





Shipping Weight (kg)	8.98	
Unit Dimensions (hwd / in.)	10.5 x 10.5 x 17.75	
Unit Dimensions (hwd / cm)	26.67 x 26.67 x 45.09	
Material of Construction	Black and beige steel cabinet	
Included Accessories	Includes complete battery cabling (two 2 ft, two 8 in, one 6 inch fusible link), nuts and bolts for battery connection, set of red battery terminal isolators	
External Battery Pack Form Factor	Tower	
WARRANTY		
Product Warranty Period (U.S. & Canada)	2-year limited warranty	
Product Warranty Period (International)	1-year limited warranty	
Product Warranty Period (Mexico)	1-year limited warranty	
Product Warranty Period (Puerto Rico)	1-year limited warranty	
Optional Coverage	3 year, 5 year, next day and on-site warranty coverage available	

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies