imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

BP24V33 - External Battery Pack for UPS System

MODEL NUMBER: **BP24V33**



Description

Tripp Lite's BP24V33 external battery pack offers extended battery runtime when used in conjunction with Tripp Lite SmartPro UPS systems with a 24VDC external battery connection. Stackable form factor supports configuration with up to 2 battery packs stacked with the UPS on top. Rugged all metal battery enclosure safely houses UPS batteries and includes heavy gauge cabling with pre-installed DC connectors for simple installation. Additional output connector allows multiple BP24V33 battery packs to be daisy-chained to the UPS for even longer extended run operation.

Features

• Offers extended-run UPS operation when used in conjunction with Tripp Lite UPS systems with a 24V

DC external battery connection

- · Supports stacking installation of two battery packs with the UPS on top
- Includes input and output connectors to support the connection of multiple battery packs for even longer extended run operation
- · Includes heavy gauge cabling with high current DC connectors for simple installation
- 2 year warranty

Specifications

OVERVIEW		
UPC Code	037332080400	
BATTERY		
Expandable Battery Runtime	Red female DC connector for additional battery packs	
DC System Voltage (VDC)	24	
UPS Connection	3 ft. attached cable with red DC connector	

Highlights

- Extends runtime of Tripp Lite UPS Systems with 24V DC external battery connection
- Provides daisy-chain capability
- Simple installation; stackable
- 2 year warranty

Package Includes

- BP24V33 external battery pack
- Warranty information
- Instruction manual



Typical Battery Lifespan	4-6 years typical (North America)
PHYSICAL	
Shipping Dimensions (hwd / in.)	14.50 x 13.50 x 19.25
Shipping Dimensions (hwd / cm)	36.83 x 34.29 x 48.90
Shipping Weight (lbs.)	65.48
Shipping Weight (kg)	29.70
Unit Dimensions (hwd / in.)	8 x 11.5 x 13
Unit Dimensions (hwd / cm)	20.32 x 29.21 x 33.02
Material of Construction	Putty color steel housing
Form Factors Supported	Floorstanding tower format. Stackable
CERTIFICATIONS	
Certifications	Tested to UL, cUL, CE, NOM
WARRANTY	
Product Warranty Period (Worldwide)	2-year limited warranty
Optional Coverage	3 year, 5 year, next day and on-site warranty coverage available

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

https://www.tripplite.com/products/product-certification-agencies