



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Extension Cable for Select Tripp Lite Battery Packs, Blue 175A DC Connectors, 1 ft. (0.3 m)

MODEL NUMBER: **BPEXT481**



### Highlights

- Heavy-duty 6 AWG 2-conductor black cabling
- 2 Blue 175A DC connectors (1 output, 1 input)
- 1 ft. (0.3 m) in length

### Package Includes

- BPEXT481 Extension Cable, 1 ft. (0.3 m)

Adds 1 ft. (0.3 m) to connection between compatible Tripp Lite 48V UPS systems and external battery packs. Required to connect SMART5000XFMRXL and BP48V24-2U in a front-mount configuration in a 4-post 19 in. rack.

### Description

The BPEXT481 Extension Cable allows you to connect your Tripp Lite SMART5000XFMRXL UPS system and BP48V24-2U battery pack in a front-mount four-post rack configuration in order to extend runtime. It also adds one foot (0.3 m) to the connection between other compatible Tripp Lite 48V UPS systems and external battery packs. The BPEXT481 is constructed using 6 AWG two-conductor black cabling. It features two Blue 175A DC connectors: one output for the battery pack and one input for the UPS system.

### Features

**Connects SMART5000XFMRXL UPS and BP48V24-2U Battery Pack in Front-Mount Rack**

### Application

- Compatible with other Tripp Lite 48V UPS systems and battery packs
- Heavy-duty 6 AWG 2-conductor black cabling
- 2 Blue 175A DC connectors (1 output, 1 input)
- 1 ft. (0.3 m) in length

## Specifications

OVERVIEW	
UPC Code	037332197870
Accessories Type	Cable Kit



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

<b>OUTPUT</b>	
Output Connector Type	175A Blue 48V DC Connector (1)
<b>INPUT</b>	
Input Connection Type	175A Blue 48V DC Connector (1)
Cable Length (ft.)	1
Cable Length (m)	0.3
<b>PHYSICAL</b>	
Shipping Dimensions (hwd / in.)	1.400 x 2.400 x 19.400
Shipping Dimensions (hwd / cm)	3.56 x 6.10 x 49.28
Shipping Weight (lbs.)	1.6000
Shipping Weight (kg)	0.73
Unit Weight (lbs.)	1.1
Unit Weight (kg)	0.50
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	1-year limited warranty

© 2018 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <https://www.tripplite.com/products/product-certification-agencies>