



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com


Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China






PANDUIT® PANDUCT® Protective Film for Duct Covers

PANDUIT® PANDUCT® Protective Film is available on select **PANDUCT®** Wiring Duct Covers. The film protects the duct covers from damage during the installation process. A grid provides a visual aid that assists the installer to make cuts quickly and easily in the field and provides space for writing notes using an indelible ink pen. The clear film peels away easily from the cover without leaving a sticky residue.



Product Characteristics:	Performance:	
Construction	<u>Tensile Strength (psi)</u>	<u>Test Method</u>
Backing: Low density polyethylene – clear ASTM D-1003 haze	MD 3100	ASTMD882
Adhesive: Water based acrylic	TD 2700	ASTMD882
Total thickness: 2.0 mil	<u>Elongation(%)</u>	
Melting point: > 180° F	MD 400	ASTMD882
	TD 570	ASTMD882
Handling and storage: Dry room temperature. Remove protective film prior to service.		



Protective film has a write-on surface with a grid that serves as a visual aid for cutting ease in the field and writing notes.

Part Number Selection Chart for Duct Covers with Protective Film

Duct Cover Part #	Description	Ctn Factor	Ctn. UOM	Pkg. Factor	Pkg. UOM
C.5LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C.75LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1.5LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2.5LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C3LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C4LG6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C.5WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C.75WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1.5WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2.5WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C3WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C4WH6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C.75BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1.5BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2.5BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C3BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C4BL6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C1IB6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2IB6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C3IB6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C4IB6-F	COVER w/ PROTECTIVE FILM	120	FT	6	FT
C2SAM8IN-F	COVER w/ PROTECTIVE FILM	1	PC	1	PC