

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China







Colours and voltages:

→ Neon

Available with Red, Amber, Green or Clear lenses 100/130V (marked 110V), 200/250V (marked 230V)

2.0/2.2V Resistors for other voltages available.

LED - DC

Red, Yellow, Green, Blue, White

LED - AC

Red, Yellow, Green, Blue, White 110-230V ac operation.

-X- Filament lamp Available with Red, Amber, Green, Clear or Blue lenses 6V, 12/14V, 24/28V.

Neon, LED, mains LED or filament lamp

▶ Bezel sizes from 6.7 to 16.3mm diameter


Red, amber, green and clear lenses

▶ Red, yellow, green, blue and white LEDs


Wide choice of styles

To create a catalogue number:

> .	TERM	•	ТҮРЕ	► PANEL & °C	ILLUM'N OPTIONS	APPROVAL	DIMENSIONS (mm)	
L		(C) 2870 00		Ø 12.7		KENA ®		
K 2.8		- T			DC	KEMA		
H 4.8				0.75-2.0	AC	KEMA	9.9 22.8 5.0	Ø13.6
C 6.3				page 6	-\>	KEMA		
L		(C) 0589 00		12.7		WENY (1)	10.5 21.6 3.2	
K 2.8				0.8-1.5	-DC	KEMA		
H 4.8				Ť	AC	KEMA		Ø15.9
C 6.3				page 6	-\>	KEMA		
L	-	L 0081 00	Chrome bezel	12.7		KEUR SE		
			16	9.5	- DC	KEMA	2 Ø16.	
				*	AC			
				page 6	-\>	KEMA	18.0 11.4	Ø18.3
L		(C) 0177 00	Chrome bezel	12.7		KEUR SE	14.9	
K 2.8		(OF		2 12.0max	DC	KEMA	-22.2 - 3.38.3	
H 4.8				•	AC	KENA (1)	53.7	Ø14.6
C 6.3				page 6	-\>	KEMA	32.2	
L		(C) 0067 00	Chrome bezel	12.7		KEUR SE		
K 2.8				2 1.14max	DC	KEMA		
H 4.8				•	AC	KEMA		016.0
C 6.3				page 6	-\>	KEMA	38.1 5.1	Ø16.0
L		(C) 0180AA		12.7		KENA (1)		
C 6.3			Later Po	19.0max	DC		10.4 22.3 5.1	Ø15.0
		9		A TO.OHIAN		KEMA		Starlock fixing



Indicator Lights Neon, LED and Filament Lamp



Part Number Ordering

Arcoelectric Part	Туре	Light Source	Colour	Voltage
Number				
C287000NAD	(C) 2870 OO	Neon	Red	230 V
C287000NAE	(C) 2870 OO	Neon	Green	230 V
C287000NAI	(C) 2870 OO	Neon	Amber	230 V
C287000NAO	(C) 2870 OO	Neon	Green	110 V
C287000NAP	(C) 2870 OO	Neon	Red	110 V
L006700NAA	(C) 0067 OO	Neon	Red	230 V
L006700NAF	(C) 0067 OO	Neon	Amber	230 V
L006700NAM	(C) 0067 OO	Neon	Green	230 V