

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









# **Equipment Storage Rack Cabinet C2RR Series**

1,500 lbs Weight Capacity









#### **Features**

- Constructed in:
  - 14-gauge steel (body)
  - 16-gauge steel (doors and side panels)
  - 10-gauge steel (tapped mounting rails)
  - 12-gauge steel (square hole mounting rails)
- Finished in a rugged, textured powder paint finish.
- Complies with Seismic IBC 2012 Zone-4 standards when used with C4K-Z4 Seismic Bolt Down Kit.
- Tested to nearly double the suggested load rating of 1,500 lbs (680 kg).
- RoHS Compliant.
- Manufactured in North America.

### • All configurations include:

- o One (1) Welded C2 Cabinet Frame
- Two (2) Removable Side Panels (with 1/4 turn latches)
- Four (4) Leveling Feet
- Eight (8) Keys
- Starter pack of 10-32 Screws (and cage nuts when applicable).

#### • C2RR Series Specific Components Include:

- Four (4) Infinitely Adjustable Tapped 10-32 Combination Mounting
- One (1) Solid Locking Door (Can be used as either front or rear door)
- One (1) Solid Top Panel

#### • C2RR "D" Series Specific Components include:

- Four (4) Infinitely Adjustable Tapped 10-32 Combination Mounting Rails
- One (1) Window Front Locking Door
- o One (1) Louvered Rear Locking Door
- One (1) Vented Top Panel with Four (4) 3.5" (89 mm) diameter cable access holes with covers

## **Gallery**







#### **Accessories**

- C2 Doors
- Door Adapter Cable Entry Kit
- Door Adapter Rack Mount Kit
- Cabinet Fan Tops

- Side Panel Locking Kit
- Cabinet Baying/Ganging/Joining Kit
- Shelves
- Vertical Cabinet Cable Manager with Door
- Cable Lacing Bar
- Horizontal Hinged Cable Manager
- Cable Management Arm
- Mounting Hardware
- Rack Panels
- Medium Caster Set

- Cabinet Door Replacement Lock
- C2/C3 Bolt Down Kit
- Rack Mount Locking Storage Drawer
- Vertical Cable Tray
- Horizontal Lacing Strip
- Horizontal Ring Cable Manager
- Outlet Strips
- Grounding
- Caster Set

## **C2RR Rapid Rack**

Part No.	Part No.	Overa	Overall Dimensions			Usable Mounting Dimensions			
Black	RAL 7035 Light Gray	Height	Width	Depth	Units	Height	Width	Depth	
C2RR194223BK1	C2RR194223LG1	50.16	23.00	23.62	24U	42.06	19.00	21.63	
C2RR194231BK1	C2RR194231LG1	50.16	23.00	31.50	24U	42.06	19.00	29.50	
C2RR196323BK1	C2RR196323LG1	71.16	23.00	23.63	36U	63.06	19.00	21.63	
C2RR196331BK1	C2RR196331LG1	71.16	23.00	31.50	36U	63.06	19.00	29.50	
C2RR197023BK1	C2RR197023LG1	78.16	23.00	23.62	40U	70.06	19.00	21.63	
C2RR197031BK1	C2RR197031LG1	78.16	23.00	31.50	40U	70.06	19.00	29.50	
C2RR197823BK1	C2RR197823LG1	86.91	23.00	23.62	45U	78.81	19.00	21.63	
C2RR197831BK1	C2RR197831LG1	86.91	23.00	31.50	45U	78.81	19.00	29.50	

Overall height includes leveling feet.

## C2RR "D" Series LAN/Data Rapid Rack

Part No.	Part No.	Overall Dimensions			Rack	<b>Usable Mounting Dimensions</b>		
Black	RAL 7035 Light Gray	Height	Width	Depth	Units	Height	Width	Depth
C2RR197023DBK1	C2RR197023DLG1	77.31	23.00	23.63	40U	70.06	19.00	21.63
C2RR197031DBK1	C2RR197031DLG1	77.31	23.00	31.50	40U	70.06	19.00	29.50
C2RR247023DBK1	-	77.31	28.00	23.63	40U	70.06	24.00	21.63
C2RR247031DBK1	-	77.31	28.00	31.50	40U	70.06	24.00	29.50
C2RR197823DBK1	C2RR197823DLG1	86.06	23.00	23.63	45U	78.81	19.00	21.63
C2RR197831DBK1	C2RR197831DLG1	86.06	23.00	31.50	45U	78.81	19.00	29.50
C2RR247823DBK1	-	86.06	28.00	23.63	45U	78.81	24.00	21.63
C2RR247831DBK1	-	86.06	28.00	31.50	45U	78.81	24.00	29.50

Overall height includes leveling feet.

Tags: Contempra II, Test Rack, Equipment Rack, Automotive Rack, Terminal Rack, Electronics

Data subject to change without notice

Rack, Instrument Cabinet, System Rack, Audio Rack, Radio Rack

© 2017. Hammond Manufacturing Ltd. All rights reserved.