



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



## Mobile Load Coil Antennas



- Low loss coil form adds dimensional and frequency stability
- ABS material is injection molded around solid brass inserts to create a virtually indestructible housing that is virtually leak proof
- All silver soldered joints ensure electrically and mechanically secure connections

Results 1 - 41 of 41

Item #	Model	Description	Frequency Range	Center Frequency	Gain	Whip Style
C27	Lowband DC Ground Base Models	1/4 Wave	26.75-31 MHz	Tunable	Unity	49" Tapered
C30	Lowband DC Ground Base Models	1/4 Wave	30 - 35 MHz	Tunable	Unity	49" Tapered
C34	Lowband DC Ground Base Models	1/4 Wave	34 - 37 MHz	Tunable	Unity	49" Tapered
C37	Lowband DC Ground Base Models	1/4 Wave	37 - 40 MHz	Tunable	Unity	49" Tapered
C40S	Lowband DC Ground Base Models	1/4 Wave w/Spring	40 - 47 MHz	Tunable	Unity	49" Tapered
C40	Lowband DC Ground Base Models	1/4 Wave	40 - 47 MHz	Tunable	Unity	49" Tapered
C47	Lowband DC Ground Base Models	1/4 Wave	47 - 50 MHz	Tunable	Unity	49" Tapered
B66	VHF Models	1/4 Wave Broadband	66 - 174 MHz	Tunable	Unity	49" Tapered
B132	VHF Models	1/4 Wave Broadband	132 - 928 MHz	Tunable	Unity	21" Straight
B132S	VHF Models	1/4 Wave Broadband	132 - 525 MHz	Tunable	Unity	21" Straight
B1323S	VHF Models	5/8 Wave w/Spring	132 - 174 MHz	Tunable	3 dB	55" Tapered
B1323	VHF Models	5/8 Wave	132 - 174 MHz	Tunable	3 dB	55" Tapered
B1443	VHF Models	5/8 Wave	144 - 174 MHz	Tunable	3 dB	49" Tapered
B1443S	VHF Models	5/8 Wave w/Spring	144 - 174 MHz	Tunable	3 dB	49" Tapered
B2003	VHF Models	5/8 Wave	200 - 225 MHz	Tunable	3 dB	33" Straight
B2503	VHF Models	5/8 Wave	250 - 280 MHz	Tunable	3 dB	24 1/2" Straight
B1322N	VHF Models	NGP Base Loaded 1/2 Wave	132 - 174 MHz	Tunable	2.4 dB	55" Tapered
B1442NS	VHF Models	NGP Base Loaded 1/2 Wave w/Spring	144 - 174 MHz	Tunable	2.4 dB	49" Tapered
B1442N	VHF Models	NGP Base Loaded 1/2 Wave	144 - 174 MHz	Tunable	2.4 dB	49" Tapered
B2002N	VHF Models	NGP Base Loaded 1/2 Wave	200 - 225 MHz	Tunable	2.4 dB	29 1/2" Straight
B4063	UHF Models	5/8 Wave	406 - 430 MHz	Tunable	3 dB	13" Straight
B4303	UHF Models	5/8 Wave	430 - 450 MHz	Tunable	3 dB	11 13/16" Straight
B4503	UHF Models	5/8 Wave	450 - 470 MHz	Tunable	3 dB	11" Straight
B4703	UHF Models	5/8 Wave	470 - 490 MHz	Tunable	3 dB	10 11/16" Straight
B4903	UHF Models	5/8 Wave	490 - 512 MHz	Tunable	3 dB	10 1/2" Straight
B4065C	UHF Models	Closed Coil Collinear	406 - 430 MHz	Tunable	5 dB	37 3/8" Collinear
B4305C	UHF Models	Closed Coil Collinear	430 - 450 MHz	Tunable	5 dB	34 1/8" Collinear
B4505CS	UHF Models	Closed Coil Collinear w/Spring	450 - 470 MHz	Tunable	5 dB	32 3/4" Collinear
B4505C	UHF Models	Closed Coil Collinear	450 - 470 MHz	Tunable	5 dB	32 3/4" Collinear

B4705C	UHF Models	Closed Coil Collinear	470 - 490 MHz	Tunable	5 dB	31 1/4" Collinear
B4905C	UHF Models	Closed Coil Collinear	490 - 512 MHz	Tunable	5 dB	29 1/8" Collinear
B4062N	UHF Models	NGP 1/2 Wave	406 - 430 MHz	Tunable	2.4 dB	11 9/16" Straight
B4302N	UHF Models	NGP 1/2 Wave	430 - 450 MHz	Tunable	2.4 dB	10 5/8" Straight
B4502N	UHF Models	NGP 1/2 Wave	450 - 470 MHz	Tunable	2.4 dB	10 5/16" Straight
B4065CN	UHF Models	NGP Closed Coil Collinear	406 - 430 MHz	Tunable	5 dB	34 1/8" Collinear
B4305CN	UHF Models	NGP Closed Coil Collinear	430 - 450 MHz	Tunable	5 dB	32 7/8" Collinear
B4505CN	UHF Models	NGP Closed Coil Collinear	450 - 470 MHz	Tunable	5 dB	30 1/2" Collinear
B4705CN	UHF Models	NGP Closed Coil Collinear	470 - 490 MHz	Tunable	5 dB	28 7/16" Collinear
B4905CN	UHF Models	NGP Closed Coil Collinear	490 - 512 MHz	Tunable	5 dB	27 1/8" Collinear
B1322W	VHF Models	1/2 Wave	132 - 174 MHz	Tuneable	2.4 dB	N/A
B1360W	VHF Models	1/4 Wave	136 - 174 MHz	155 MHz	0 dB	N/A

Results 1 - 41 of 41