

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China









- Round and rectangular push button switches
- Ratings up to 16A, 250V ac
- Latching and momentary
- Illuminated & nonilluminated
- Matching indicators
- ▶ Low profile version
- Panel cut outs: 25.0 dia 27.2 x 22.3



16(4)A 250Vac T125 8(8)A 250Vac T85




UL CSA 16A Non Ind, 250Vac 1hp, 125Vac 1/2hp UL 65°C, file no. E45221, CSA file no. LR10990



C 7053


RoHS compliant

3mm contact gap.
Technical data on pages 4 & 5 (switches), 6 (indicators).

























C7050SA ---

C7053AG ---

C7053DF ---


. C7030AH ---




Panel cut-outs

F H G Body types fit either cut-out







OPTIONS

Finish

Matt finish is standard on bodies Gloss finish is standard on actuators

Color

Call factory for custom colors A full range is available for large orders

Legend printing

A wide range is available or call the factory for custom legends

Lamp voltage

Call factory for details of other available voltages

Weatherproof housing (E)

Additional housing which fits round body switches with an oversize housing with a clear silicone cover designed to IP65. Mounting hole dia: 38.0mm

DIMENSIONS (mm)

Panel thickness:

0.8 - 2.5mm **F, G, H** 0.8 - 5.0mm

