# imall

Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from, Europe, America and south Asia, supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of "Quality Parts, Customers Priority, Honest Operation, and Considerate Service", our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip, ALPS, ROHM, Xilinx, Pulse, ON, Everlight and Freescale. Main products comprise IC, Modules, Potentiometer, IC Socket, Relay, Connector. Our parts cover such applications as commercial, industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



# Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832 Email & Skype: info@chipsmall.com Web: www.chipsmall.com Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



# CHEMTRONICS Technical Data Sheet

### PRODUCT DESCRIPTION

Static Free<sup>™</sup> Hand Guard<sup>™</sup> penetrates deeply to moisten and refresh dry, irritated skin exposed to heat, abrasives. or harsh Static Free<sup>™</sup> Hand Guard<sup>™</sup> is chemicals. specially formulated for electronic technicians to use as a non-contaminating hand and body lotion. It reduces static buildup on hands while preventing harmful electrostatic discharge during the handling of sensitive devices. Static Free<sup>™</sup> Hand Guard<sup>™</sup> quickly soothes and protects tender, chapped or irritated skin without the use of lanolin, silicone, or mineral oils that may inhibit solderability of printed circuits and components.

- Non-greasy formula
- Penetrates and soothes quickly
- Dissipates static build-up on hands
- Contains Aloe Vera and Vitamin E
- Does not contain Lanolin, Silicones, Glycerin, or Mineral Oils
- Contains no artificial dyes or colors

## TYPICAL APPLICATIONS

Static Free<sup>™</sup> Hand Guard<sup>™</sup> effectively moisturizes and soothes chapped and/or irritated skin. It is especially effective when skin is subjected to:

- Heat
- Abrasives
- Harsh Chemicals

### TYPICAL PRODUCT DATA AND PHYSICAL PROPERTIES

| <b>F</b>                                |                               |
|---|-------------------------------|
| <b>Boiling Point</b>                    | 212°F                         |
| Vapor Density (air<br>@ 100°F           | =1) >1                        |
| Solubility in Water                     | · Miscible                    |
| Specific Gravity<br>(water = 1)         | 0.79                          |
| Evaporation Rate<br>(Ether = 1)         | <1                            |
| Appearance                              | White, Opaque Liquid          |
| <b>Viscosity</b><br>(Brookfield DVII, C | 4900 cps @ RT<br>CP52 @ 1RPM) |
| Flash Point (TCC)                       | None                          |
| Static Decay<br>(MIL-B-81705C)          | PASS<br>(Less than 1 Second)  |
| Shelflife                               | 5 years                       |
| RoHS/WEEE<br>Status                     | Compliant                     |

### COMPATIBILITY

Static  $\operatorname{Free}^{\mathbb{M}}$  Hand  $\operatorname{Guard}^{\mathbb{M}}$  is generally compatible with most materials used in commercial/industrial applications. As with any chemical product, component compatibility must be determined on a non-critical area prior to use.

# **TDS # C805**

Hand lotions from other manufacturers can contain ingredients that will contaminate the work surface and inhibit solderability. Static Free<sup>TM</sup> Hand Guard<sup>TM</sup> does not contain any of these ingredients.

#### **Solderability Inhibitors**

| <u>Ingredient</u> | Contained in<br>Static Free <sup>™</sup><br><u>Hand Guard<sup>™</sup>?</u> |  |
|-------------------|--|--|
| Glycerin          | NO   |  |
| Grease            | NO   |  |
| Lanolin           | NO   |  |
| Mineral Oils      | NO   |  |
| Silicone          | NO   |  |

#### **USAGE INSTRUCTIONS**

Apply a small amount to hands and rub into skin.

#### AVAILABILITY

C805 8 oz. Pump

#### TECHNICAL & APPLICATION ASSISTANCE

Chemtronics provides a technical hotline to answer your technical and application related questions. The toll free number is: 1-800-TECH-401.

#### **ENVIRONMENTAL IMPACT DATA**

| ENVIRONMENTAL IMPACT DATA |  |                   |                       |  |
|---------------------------|--|-------------------|-----------------------|--|
| CFC<br>HCFC<br>CL Solv.   | $\begin{array}{c} 0.0\% \\ 0.0\% \\ 0.0\% \end{array}$ | VOC<br>HFC<br>ODP | $0.0 \\ 0.0\% \\ 0.0$ |  |

CFC, HCFC, CL. SOLV., VOC, and HFC numbers shown are the content by weight. Ozone depletion potential (ODP) is determined in accordance with the Montreal Protocol and U.S. Clean Air Act of 1990. The ODP of this product is 0.0. It is the sum of the ODP of the substances that may contribute to the depletion of stratospheric ozone, based upon the weight of each substance in the product's formulation.

#### NOTE:

This information is believed to be accurate. It is intended for professional end users having the skills to evaluate and use the data properly.

CHEMTRONICS does not guarantee the accuracy of the data and assumes no liability in connection with damages incurred while using it.

Chemtronics® is a registered trademark of Chemtronics. All rights reserved. Static  $\operatorname{Free}^{TM}$  and Hand  $\operatorname{Guard}^{TM}$  are trademarks of Chemtronics. All rights reserved All other trademarks herein are trademarks or registered trademarks of their respective owners.

CHEMTRONICS 8125 COBB CENTER DRIVE KENNESAW, GA 30152 1-770-424-4888 REV. G (08/13)

#### **DISTRIBUTED BY:**