



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





Hubbell Control Solutions' RJ45 Adapter is designed to be used with HCS low voltage occupancy and daylight sensors. The adapter allows connectivity of these sensors to an NX SmartPORT™ module or Room Controller using a standard CAT5 cable.

**Product Features**

- Supports NX Distributed Intelligence Lighting Controls
- Plenum rated
- Low voltage device: 24VDC
- Five-year limited warranty

**Compliance and Certification**



**Ordering Information**

**RJ45ADAPTER**

**MODEL**

**RJ45ADAPTER** RJ45 Adapter for NX Occupancy and Daylight Sensors

**NXRJSPLITTER**

**MODEL**

**NXRJSPLITTER** NX RJ45 Splitter 2-way Female for CAT5, used with NX Occupancy Sensors and NX Daylight Sensors \*

\* Not Plenum rated - To be installed in a sealed junction box

**CATS-3IN-OR-PLENUM**

**MODEL**

- CATS-3IN-OR-PLENUM** Pre-terminated CAT5 Cable, Plenum Rated, 3in, Orange
- CATS-3F-OR-PLENUM** Pre-terminated CAT5 Cable, Plenum Rated, 3ft, Orange
- CATS-10F-OR PLENUM** Pre-terminated CAT5 Cable, Plenum Rated, 10ft, Orange
- CATS-25F-OR PLENUM** Pre-terminated CAT5 Cable, Plenum Rated, 25ft, Orange
- CATS-50F-OR PLENUM** Pre-terminated CAT5 Cable, Plenum Rated, 50ft, Orange
- CATS-100F-OR PLENUM** Pre-terminated CAT5 Cable, Plenum Rated, 100ft, Orange





**NXRJSPLITTER**

**SPECIAL NOTES:**

1. When cutting CAT5 cable to specific lengths, the cable pin out is as follows:

PIN NO.	WIRE COLOR
1	WHITE with ORANGE STRIPE
2	ORANGE
3	WHITE with GREEN STRIPE
4	BLUE
5	WHITE with BLUE STRIPE
6	GREEN
7	WHITE with BROWN STRIPE
8	BROWN

## Wiring Information



**Note:** The NX Smart Port Connector pin numbering scheme matches that of the standard RJ-45 connector system. However, the pin assignment is different. There are two standard CAT5 color codes, 568A and 568B. HCS recommends using 568B but there may be cases in the field where the cable is 568A. It is important to match the colors and wire pairings on both sides of the cable.

## General Specifications

Electrical	<p>RJ45ADAPTER: 4 Terminal Connectors          Red: +24V          Blue: Occupancy Sensor Input          Yellow: Photocell/Daylight Sensor Input          Black: Common          Class 2 device          Max Cable Length Supported: 300 ft. from device to control module</p>
Plenum Rated	<p>RJ45ADAPTER and Cables are UL2043 compliant (Plenum rated)          NXRJSPLITTER is not Plenum rated</p>
Construction	<p>RJ45ADAPTER Material: SABIC NORYL HS2000X</p>
Dimensions	<p>RJ45ADAPTER: 2.168"L x 1.093"W x 0.995"H          NXRJSPLITTER: 1.322"L x 1.488"W x 0.826"H</p>
Weight	<p>RJ45ADAPTER: 0.8 oz</p>
Color	<p>RJ45ADAPTER: Gray          NXRJSPLITTER: White</p>
Mounting	<p>Adapter may be mounted using a zip-tie (not included) or with a #8 or #10 mounting screw (not included).          NXRJSPLITTER is to be installed in an Electrical Junction Box (not included)</p>
Certifications	<p>cULus listed</p>
Warranty	<p>Five-year limited</p>