



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!




Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



		<h2 style="margin: 0;">Product Data Sheet</h2> <p style="margin: 0; font-size: small;"> One Source For VME / VME64X / CompactPCI & Prototypes Chassis / System Enclosures, Backplanes, Subracks, Card Cages, Power Supplies Prototype Circuit boards, Circbord®, Vectorbord®, Plugbord™, VectorPak®, Proto Tools & Accessories </p>			
Home	About Vector	Distributors	Sales	Contact Us	Catalog Request

Designed in accordance with EIA standard RS-310, Vector subracks and modules offer versatility within a 19" rackmount format. All racks are adjustable in both height and depth. Metal, Plastic, Snap-in, Rivet, or Screw-down card guides are available. All Subrack sizes are compatible with Vector prototyping boards (see Prototype Products Section)

EIA / VectorPak Subracks : CCK Series

Part No.	Width	Height	Depth	Max. Card Size	
CCK12F	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Kit Description ■ Frame Only for Metal or Plastic Screw-in Card Guides ■ Metal or Plastic Screw-in Card Guide available separate
CCK13F	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCK14F	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCK15F	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCK17F	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCK18F	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCK19F	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCK100F	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCK12F/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Kit Description ■ Frame Only for Plastic Snap-in Card Guides ■ Plastic Snap-in Card Guide available separate
CCK13F/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCK14F/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCK15F/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCK17F/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCK18F/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCK19F/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCK100F/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCK12M/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Kit Description ■ Card Cage Frame with Metal Screw-in Card Guides ■ 21 Pair Metal Screw-in Card Guides supplied
CCK13M/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCK14M/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCK15M/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCK17M/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCK18M/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCK19M/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCK100M/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCK12P/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Kit Description ■ Card Cage Frame with Plastic Screw-in Card Guides ■ 21 Pair Plastic Screw-in Card Guides supplied
CCK13P/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCK14P/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCK15P/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCK17P/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCK18P/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCK19P/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCK100P/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCK12S/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Kit Description ■ Card Cage Frame with Plastic Snap-in Card Guides ■ 21 Pair Plastic Snap-in Card Guides supplied
CCK13S/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCK14S/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCK15S/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCK17S/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCK18S/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	

CCK19S/90	19"	7U {12.25"}	15.75"	11.5" X 13.5"
CCK100S/90	19"	7U {12.25"}	9"	11.5" X 7.0"

CCK12S-H/90	9.5"	3U { 5.25" }	9"	4.5" X 6.5"	<ul style="list-style-type: none"> ■ Kit Description ■ Card Cage Frame with Plastic Snap-in Card Guides ■ 11 Pair Plastic Snap-in Card Guides supplied
CCK13S-H/90	9.5"	3U { 5.25" }	12"	4.5" X 9.6"	

EIA / VectorPak Subracks : CCA Series

Part No.	Width	Height	Depth	Max. Card Size	
CCA12F	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Description ■ Assembled Subracks Frame Only for Screw-in Card Guide ■ Metal or Plastic Screw-in Card Guide available separate
CCA13F	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCA14F	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCA15F	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCA17F	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCA18F	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCA19F	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCA100F	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCA12F/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Description ■ Assembled Subracks Frame Only for Plastic Snap-in Card Guide ■ Plastic Snap-in Card Guide available separate
CCA13F/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCA14F/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCA15F/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCA17F/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCA18F/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCA19F/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCA100F/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCA12C/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Description ■ Assembled Subracks with Continuous Card Guide Plate
CCA13C/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCA14C/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCA15C/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCA17C/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCA18C/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCA19C/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCA100C/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCA12S/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Description ■ Assembled Subracks with Plastic Snap-in Card Guides
CCA13S/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCA14S/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCA15S/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCA17S/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCA18S/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCA19S/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCA100S/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCA12M/90	19"	3U { 5.25" }	9"	4.5" X 4.5"
CCA13M/90	19"	3U { 5.25" }	9"	4.5" X 6.5"
CCA14M/90	19"	3U { 5.25" }	12"	4.5" X 9.6"
CCA15M/90	19"	4U { 7.00" }	12"	6.25" X 9.6"

CCA17M/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	<ul style="list-style-type: none"> ■ Description ■ Assembled Subracks with Metal Screw-in Card Guides
CCA18M/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCA19M/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCA100M/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

CCA12P/90	19"	3U { 5.25" }	9"	4.5" X 4.5"	<ul style="list-style-type: none"> ■ Description ■ Assembled Subracks with Plastic Screw-in Card Guides
CCA13P/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	
CCA14P/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCA15P/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	
CCA17P/90	19"	5U { 8.75" }	12"	8.00" X 11.0"	
CCA18P/90	19"	6U {10.50" }	15.75"	9.75" X 13.5"	
CCA19P/90	19"	7U {12.25" }	15.75"	11.5" X 13.5"	
CCA100P/90	19"	7U {12.25" }	9"	11.5" X 7.0"	

Assembled Card Mount Module Subrack, { CCM SERIES }. CM Modules Sold Separately

Part No.	Width	Height	Depth	Max. Card Size	Description
CCM13S/90	19"	3U { 5.25" }	9"	4.5" X 6.5"	<ul style="list-style-type: none"> ■ Assembled Subracks with CM45A65 Card Mount Modules ■ Card Mount Modules Available Separately ■ Card mount modules (CM Series Data Sheets) with 1" to 4" widths ■ No. of module in subracks varies with the width of the Modules
CCM14S/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	
CCM15S/90	19"	4U { 7.00" }	12"	6.25" X 9.6"	

Assembled EFP Module Subrack, { CMA SERIES }. EFP Modules Sold Separately

Part No.	Width	Height	Depth	Max. Card Size	No. of Modules	Description
CMA14-16/90	19"	3U { 5.25" }	12"	4.5" X 6.5"	10 Module { 1.6" Wide }	<ul style="list-style-type: none"> ■ Description ■ 1.6", 2.0" and 3.0" evenly spaced modules are accepted ■ EFP Modules Available Separately {Data Sheets} ■ Rear Struts-adjustable in width and height ■ Other widths available by special order
CMA14-20/90	19"	3U { 5.25" }	12"	4.5" X 9.6"	8 Module { 2.0" Wide }	
CMA14-30/90	19"	3U { 5.25" }	12"	6.25" X 9.6"	5 Module { 3.0" Wide }	

email us your Requirements : inquire@vectorelect.com

1115 Vanowen St., North Hollywood, CA - 91605, USA , Tel: (818) 985 8208, (800) 423 5659; Fax: (818) 985 7708

Circbord®, Vectorbord® and VectorPak® are registered trademarks of Vector Electronics & Technology, Inc.
CompactPCI® is a registered trademark of PCIMG. © 2001 Vector Electronics & Technology, Inc. - All Rights Reserved

webmaster@vectorelect.com