



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832



Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China





PROPERTY OF THE TE CONNECTIVITY
THIS INFORMATION IS CONFIDENTIAL AND PROPERTY TO TYCO ELECTRONICS CORPORATION
AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES (TE). IT MAY NOT BE DISCLOSED TO
ANYONE, OTHER THAN TE PERSONNEL, WITHOUT AUTHORIZATION FROM TE (www.TE.com).

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		A	NEW RELEASE PER ECO-16-000996	160122	JPF	JPF







SOCKET INSERT MARKING SHOWN ABOVE



DETAIL A
SCALE 7.000
TYPICAL, 4 PLACES

SEE SHEET 2 FOR APPLICABLE NOTES

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JPF	140219	 TE Connectivity				
		CHK	JPF	160122					
		APVD	AR	160122	NAME				
DIMENSIONS: INCH		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	CONNECTOR, PLUG THREADED COUPLING 2532 ARRANGEMENT				
				APPLICATION SPEC					
		0 PLC ±1 1 PLC ±0.1 2 PLC ±0.01 3 PLC ±0.005 4 PLC ±0.0005 ANGLES ±0.5		WEIGHT	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL		FINISH		-	A2	111139	©-CFX26x2532x x x	-	
				CUSTOMER DRAWING		SCALE	2.500	SHEET 1 OF 2	REV A

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.

PROPERTY OF THE TE CONNECTIVITY
THIS INFORMATION IS CONFIDENTIAL AND PROPERTY TO TYCO ELECTRONICS CORPORATION
AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES (TE). IT MAY NOT BE DISCLOSED TO
ANYONE, OTHER THAN TE PERSONNEL, WITHOUT AUTHORIZATION FROM TE (www.TE.com).

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

4

3

PART NUMBER (x) ₁	PLATING	SHELL MATERIAL
M	NICKEL	COMPOSITE
J	O.D. CAD	COMPOSITE
F	NICKEL	ALUMINUM
W	O.D. CAD	ALUMINUM
S	NICKEL	STAINLESS STEEL
T	TEFLON NICKEL	ALUMINUM
Z	BLACK ZINC NICKEL	ALUMINUM

SIZE 25 PART NUMBER(x) ₃	POS
CFX26x2532xZN	N
CFX26x2532xZA	A
CFX26x2532xZB	B
CFX26x2532xZC	C
CFX26x2532xZD	D
CFX26x2532xZE	E

2

2

2

CFX26

(x)₁

2532

(x)₂

Z

(x)₃

xxx

MODIFICATION

KEYING POSITION:
N, A, B, C, D, E

CONTACT TERMINATION:
Z = CRIMPED CONTACT
A THROUGH Y = EXTENDED CONTACT

CONTACT FINISH:
P = PIN LOCALIZED GOLD FINISH
S = SOCKET LOCALIZED GOLD FINISH
F = PIN FULL GOLD FINISH
G = SOCKET FULL GOLD FINISH
H = PIN HI REL FINISH
J = SOCKET HI REL FINISH
A = LESS PIN CONTACT
B = LESS SOCKET CONTACT

SHELL SIZE/INSERT ARRANGMENT

PLATING/SHELL MATERIAL:
SEE TABLE

BASIC IDENTIFIER

6. COMPOSITE WEIGHT WITHOUT MODULES AND CABLE: 0.206 POUNDS.
METAL WEIGHT WITHOUT MODULES AND CABLE: 0.246 POUNDS.
PIN MODULE, FOLLOWER AND BRAID SUPPORTS WEIGHT: .011 LBS.
SOCKET MODULE, FOLLOWER AND BRAID SUPPORTS WEIGHT: .017 LBS.

5. MATES WITH CFX20x2532xxx OR CFX24x2532xxx.

4

FINISH: SHELL/BACKSHELL - SEE TABLE.
CONTACTS - SEE PART NUMBER BREAKDOWN.

3

MATERIAL: SHELL & COUPLING RING - SEE TABLE.
BACKSHELL BODY/COUPLING RING - ALUMINUM ALLOY.
CONTACTS - COPPER ALLOY.
RESILIENT INSERTS/BACKSHELL GROMMET - SILICONE ELASTOMER.
PLASTIC INSERTS - THERMOPLASTIC.

2

FOR AVAILABILITY CONSULT FACTORY.

1. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCH

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±.1
1 PLC ±0.1
2 PLC ±0.01
3 PLC ±0.005
4 PLC ±0.0005
ANGLES ±0.5
FINISH

3

DWN JPF 140219
CHK JPF 160122
APVD AR 160122

PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

Customer Drawing

TE Connectivity

NAME CONNECTOR, PLUG
THREADED COUPLING
2532 ARRANGEMENT

SIZE A2
CAGE CODE 111139
DRAWING NO C-CFX26x2532xxx
RESTRICTED TO -

SCALE 2.500
SHEET 2 OF 2
REV A

1471-9 (3/11)