



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



## Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832


Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China




NYLON 6/6 (RMS-01) PART NO.	POLYPROPYLENE (RMS-10) PART NO.	DIM. "A" REF.	MAX. HOLDING DIAMETER	DIM. "H"
CH-1-01	CH-1-10	1-3/4 (44.5)	3/8 (9.5)	.06 (1.5)
CH-2-01	CH-2-10	2-5/8 (66.7)	5/8 (15.9)	.12 (3)
CH-3-01	CH-3-10	3-3/4 (95.3)	1 (25.4)	.06 (1.5)

COLOR: NATURAL OR BLACK; SPECIFY WHEN ORDERING.  
TO ORDER BLACK ADD SUFFIX "BK" TO PART NO.



TO PRESS FIT IN A 1/4 (6.4) DIA. HOLE  
IN A 1/32 TO 3/32 (0.8 TO 2.4) THICK PANEL



TITLE: CABLE HANGER		DWG IN IN (mm)		FINAL	
FILE # CH	DWN: P.B.	DT03.08.94		PART #	
MAT'L: SEE NOTES	CHKD:	ENG:		SEE TABLE	
RE: RICHCO, INC.	RICHCO INC.		PRINT TYPE		
	ENG@RICHCO-INC.COM		CA		
	(773) 539-4060				

REV	DESCRIPTION	ENGR	DATE
C	SEE CO 200245 FOR CHANGES	SK	09.18.08
B	UPDATED PRINT AND CORRECTED METRIC DIM.	SM	03.13.02
A	CONV. TO ACAD; DIM .06 (1.5) ADDED; DIM .44 DIA. MADE REF; NOTES ADDED	PB	03.08.94

TOLERANCES  
UNLESS NOTED  
.XX=±.010  
.XXX=±.005  
FRAC=±1/64  
ANG=±1°