



Chipsmall Limited consists of a professional team with an average of over 10 year of expertise in the distribution of electronic components. Based in Hongkong, we have already established firm and mutual-benefit business relationships with customers from,Europe,America and south Asia,supplying obsolete and hard-to-find components to meet their specific needs.

With the principle of “Quality Parts,Customers Priority,Honest Operation,and Considerate Service”,our business mainly focus on the distribution of electronic components. Line cards we deal with include Microchip,ALPS,ROHM,Xilinx,Pulse,ON,Everlight and Freescale. Main products comprise IC,Modules,Potentiometer,IC Socket,Relay,Connector.Our parts cover such applications as commercial,industrial, and automotives areas.

We are looking forward to setting up business relationship with you and hope to provide you with the best service and solution. Let us make a better world for our industry!



Contact us

Tel: +86-755-8981 8866 Fax: +86-755-8427 6832

Email & Skype: info@chipsmall.com Web: www.chipsmall.com

Address: A1208, Overseas Decoration Building, #122 Zhenhua RD., Futian, Shenzhen, China



Circus CIR025725



CIR T100WH 122 840 5D CLA NA

Circus is specially designed to withstand the rigors of everyday use in industrial and manufacturing environments as well as cosmetology, health spas, beauty salons and clean room applications where FOD is a concern. No knobs to tighten, nothing to adjust. A 5-diopter white Old item no. 17981WT lens provides distortion-free viewing. The highly- flexible, self-balancing shade and 45" internal spring arm allows



Electrical data

Maximum frequency (Hz)	6 0
Minimum frequency (Hz)	5 0
Maximum voltage (V)	1 2 0
Voltage from (V)	1 0 0
Total consumption (W)	2 3

Optic

Primary Lens (D)	5
Working distance (mm)	2 0 0
Magnification (X)	2.25

Dimensions

Net weight (kg)	5,69
Arm length (in.)	3 9

Lightsource

Number of lamps	1
Lamp power (W)	2 2
Lamp base	2 GX13
Lightsource	Fluorescent circular T5-C

Technical data

Maximum ambient temperature (°C)	2 5
IP classification	2 0

Termination

Plug type	N A
Cord length (ft)	6

Body

Body color	Grey
------------	------

Circus
CIR025725



CIR T100WH 122 840 5D CLA NA

Circus is specially designed to withstand the rigors of everyday use in industrial and manufacturing environments as well as cosmetology, health spas, beauty salons and clean room applications where FOD is a



Photos



Circus
CIR025725



CIR T100WH 122 840 5D CLA NA

Circus is specially designed to withstand the rigors of everyday use in industrial and manufacturing environments as well as cosmetology, health spas, beauty salons and clean room applications where FOD is a concern. No knobs to tighten, nothing to adjust. A 5-diopter white crown optical-quality glass lens provides distortion-free viewing. The self-balancing shade and 45" internal spring arm allows



Drawings

